

# As New Printing Machinery Company Pty Ltd

Head Office:10 Elsum Ave Bayswater Victoria Australia 3153

Telephone: 03 9720 0888 Fax: 03 9720 0899 International Prefix: (613)

Website: [http:// www.asnewprint.com.au](http://www.asnewprint.com.au) Email : [sales@asnewprint.com.au](mailto:sales@asnewprint.com.au)



Prices are Ex-Site in AUD dollars, (if not specifically stated otherwise) excluding GST.

Machine Id	Details	Selling Price
<b>22991</b>	AM Multi Multilith 1650 XE; Varn Kompact dampening.Powder spray unit. Comes with a envelope feeder. On our Floor. Code 2.	P.O.A
<b>24151</b>	Davidson Fairchild x, 1975; Can do numbering and perf ; cloth dampening system; ROLLERS;will do 430mm. machine good for its age. No numbering boxes. On our floor. code 1.	P.O.A
<b>25677</b>	Fuji 52, 1988; conventional dampening,perforating, working condition code 2	P.O.A
<b>24798</b>	Hamada 700 CDX NP; GOOD WORKING condition, numbering and perfecting, 8 numbering boxes. Includes spare parts, manuals and standard tools, air pump; Cylinders in good condition; In production till mid-April;ON OUR FLOOR code 1	P.O.A
<b>23549</b>	Hamada 700 CDX NP, 1988; Standard Machine with numbering. Numbering boxes in very good condition; some hardly used ;2005 - It had a new perforating shaft installed, clutch, fountain steel roller, spray unit all replaced; Dampeners have been hardly used. Fountain bottle works. 5 - 2 straight, 3 convex, 3 x skip 3 convex wheels plus 1 straight alphabet wheel, 3 convex cams, 2 straight cams and 3 rings) plus a signature printing ring, which are all in good condition.Also drip tray, new dampener (not on press), new blanket (not on press), new perf (not on press), various perfs in varying condition. Spray unit works, light works, all guards. All guards in place; In good working Condition. Code 1B	P.O.A
<b>22472</b>	Hamada Duetto11, 1991; Molleton dampening, 1/1 perfecting, sheet feed, Max Sheet Size :315mm x 450mm ; remote plate register; 220-240V, On our Floor ; Code 1	P.O.A
<b>24621</b>	Heideberg GTO52 NP, 1985; conventional dampening, numbering and perf; 43 mill imp; good working, Standard numbeirng boxes. Condition. Code 1	P.O.A
<b>25757</b>	Heidelberg GTO 46, 1977; conventional dampening, 1 x perf arm, 1 x numbering cam, 2 x rings NO NUMBERING BOXES, No Impression Counter, Available now. Code 1	P.O.A
<b>25737</b>	Heidelberg GTO 46 NP, 1981; 62 Million Impressions,standard accessories , Numbering and perforating, Available Now. Code 1.	P.O.A
<b>24427</b>	Heidelberg GTO 46NP, 1975; Numbering and Perf; Does not have imp. Counter; conventional dampening ; working condition; no known damage; includes perf arm; standard tools, accessories and manual. Code 1b	P.O.A
<b>25235</b>	Heidelberg GTO 46NP, 1978; conventional dampening, Approx 59 Mil imp,cylinders all good, 2 number cams, 2 perf wheels plus scoring wheels,4 side lays, 1 envelope side lay, Standard numbering Boxes. Available Now. Code 1	P.O.A
<b>24759</b>	Heidelberg GTO 46NP, 1980; Approx. 47 Mil imp Bare back dampening Number and Perforating. In production. On our floor. Code 1	P.O.A
<b>24210</b>	Heidelberg GTO 52, 1984; Conventional Dampening, Geared for numbering. NO NP unit with the machine.Available Now, Code 1.	P.O.A
<b>25743</b>	Heidelberg GTO 52 NP, 1982; 46 Million Impressions, Numbering and Perforating, Standard Machine, Working Condition, 2x Standard Numbering Boxes,Manuals, Tools Available Now. Code 1.	P.O.A
<b>25770</b>	Heidelberg GTO 52NP, 1988; Conventional dampening ,42 MIL IMP working condition standard accessories. Code 1	P.O.A
<b>25480</b>	Heidelberg GTO 52NP, 1989; CONVENTIONAL DAMPENING, approx. 39 Mil Imp, standard tools and accessories including 2 numbering boxes, 1 herben perf arm, various spare parts and manual; New blanket; new dampner cover, 1 new wash up blade; safety guards; Plate Cylinder is good; Working condition; no known damage; Code 1	P.O.A
<b>25756</b>	Heidelberg KORD 64, 1967; Good Working Condition, In production, 2 Trolleys, Available Now. Code 1 .	P.O.A
<b>25223</b>	Heidelberg KORD 64, 1976; grey model, conventional dampening, Good condition Code 1	P.O.A
<b>25458</b>	Heidelberg KORS, 1971; max sheet size 720x520, grey model; conventional dampening system; good working condition; code 1	P.O.A
<b>10005</b>	Heidelberg QM 46, 1995; approx 11 mill impressions. Integrated dampening system; no NP. Trolley. Includes Eskofot Quick Plater.1996 with all manuals. Good condition. Code 1	P.O.A
<b>25515</b>	Itek 975 NPI, 1988; with numbering and perforating, standard accessories, working condition;. Does Carbonless paper stock for docket Books; code 1	P.O.A
<b>25678</b>	ItEK 975NPI, 1994; STANDARD DAMPENING, with Itek platemaker 617S, WORKING condition. Code1	P.O.A

## CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Machine Id	Details	Selling Price
24070	Man Roland Praktika 145, 1985; Package deal of two machines, Series 145, 1 x good working condition incl manuals, 1 x parts only. Max sheet size : 480 x 660mm Comes with: 4 straight numbering boxes - 7 convex numbering boxes - 2 perfering arms (all for Praktika). The second machine is a spare parts machine. Available Now. Code 1C.	P.O.A
24401	Roland Praktika 01, 1987; standard machine in good condition .streamfeed,A2 sheet . Max sheet size : 480 x 660m. 2 x trolleys, tools.No damage to cylinders. ON OUR FLOOR. Code 1	P.O.A
22696	Ryobi 480 KNP; NP. Single phase power. Powder spray. Chain delivery. New Rollers. comes with 2 numbering machines, forward straight and convex plus mounting rings. Operators Manua. (1). Service Manua(2). Parts Manual(2). Ryobi 480 head, complete with cylinders, rollers. One main motor and one vacuum motor. Excellent Condition. Code 2	P.O.A
25544	Shinohara 52NP, 1990; STANDARD MACHINE, 4 no boxes, was producing 4 process work.No damage. Code 1	P.O.A

## 2 Colour Presses

25755	Adast Dominant 525PNP, 1980; Dominant 525PNP,LATE 1980'S , one rotating cylinders adjustment wheel needs attention. Plus MULTICUT 10/721E guillotine , NO PROGRAM, NO SAFETY LIGHTS , HAS GUARDS, 1980'S, POLKOMATIC 410 VERTICAL , FRICTION A4+10 BIN COLLATOR. SOLD AS PACKAGE ONLY Code 1	P.O.A
24416	Hamada C252 C SF, 1999; Conventional Dampening,Chrome Cylinders; No Damage to Cylinders, Wt: 2 ton/2000 kg; Available Now. In working condition. Code 1C.	P.O.A
22774	Hamada HMD 248, 1996; Approx 16 Million Impressions, Kompac dampening, sheet fed, good condition, landscape, replaced form rollers. Max sheet size - 480 mm x 365 mm. Min sheet size - 88 mm x 144mm. Delivery pile capacity 17-1/4". 3 Phase/415V 50/60 Hz 20 A. Can do 300gsm. Uses 16 amps; On Our Floor. Code 1.	P.O.A
24188	Heideberg GTO46ZNP; CONVENTIONAL DAMPENING WORKING CONDITION. Working condition code 1.	P.O.A
25329	Heideberg SM52 2P NP, 2006; approx 11.5 mill Imp ; Numbering and Perf Configuration ; PERFECTING. numbering boxes; Suction Feeder Board ; Alcohol Dampening System ; Semi Auto Plate Change System ; Automatic Blanket Cleaning ; Automatic Roller Cleaning ; Automatic Impression Cleaning ; Powder Spray system ; Low Delivery; No known damage; working condition. Code 1a	P.O.A
22920	Heidelberg 52 ZNP, 1986; 22 mill imp, conventional dampening, excellent condition, in production. Working condition. Code 1C.	P.O.A
24718	Heidelberg GTO 52 ZP, 1982; 61 Million Impressions, Varn Compac, Perfecting, Quick Clamp Grippers, No Numbering and Perforating Facility, but available if additional parts purchased. Available Now. Code 1A.	P.O.A
23722	Heidelberg GTO 52 ZP, 1985; Approx.48 Million Impressions. Good Condition; In Production. Plus Version ; with Crestline Dampening;Impression blanket cylinder GTO 52 size in very good condition; perfecting blanket cylinder;Geared for numbering and perforating; No numbering unit. machine can be inspected under operation; still being used; Code 2	P.O.A
25575	Heidelberg GTO 52Z, 1995; 21 Mil Imp,Conventional dampening, plus, version, Manuals, Tools. Good Working Condition. Had 2 x New Impression Jackets fitted in 02/10/. In Production. Numbering Unit can be added for additional cost. Code 1	P.O.A
24310	Heidelberg GTO 52ZNP, 1986; Conventional dampening; free from damage and repairs, complete and in working condition; clean machine; 2 feeder boards, 2 delivery trolleys, numbering unit.standard accessories code 1	P.O.A
25103	Heidelberg GTO 52ZPNP, 1981; approx. 62 Million Impressions,Conventional dampening, Numbering & Perfecting ; has all appropriate perf & score arms;16 numbering boxes: forward, backward, convex & step.standard accessories; good working condition ; Code 1	P.O.A
25349	Heidelberg GTO52 ZNP, 1988; Numbering and Perf; approx 23 mill imp; Conventional Dampening ; 2 numbering boxes (concave and convex); looked after machine; no known damage; Good working condition. code 1	P.O.A
24742	Heidelberg MOZP, 1989; Numbering unit and Perf (2 perf arms) ;Sheetfed,perfector, conventional dampening; Approx. 20 mill imp; standard tools and accessories, manual.working condition, no damage to cylinders;2 shafts for numbering rings missing along with accessories.code 1.	P.O.A
10178	Heidelberg MOZPSNP, 1992; ALCOLOR, CP Tronic stream feed, In production, needs a service and clean. Standard accessories - 2 numbering boxes 2 per arms etc Code 1	P.O.A
24816	Heidelberg PM46 2NP, 2002; Two colour Printmaster approx 3.9 Million impressions. Good condition. Wheel away numbering unit Auto Wash Auto Plate.2 NUMBERING BOXES Includes standard Tools, accessories and manuals.Plus Plate punch Free from Damage; Code 2.	P.O.A
23635	Heidelberg QM 46 2, 1996; 23 Million Impressions. Standard Machine. Plate punch ; Available Now. Code 1C.	P.O.A
25807	HeIDELBERG QM 46 2, 1996; STANDARD MACHINE,WORKING CONDITION. Np UNIT CAN BE ADDED FOR AN ADDITIONAL \$1750. Code 1	P.O.A
25385	HeIDELBERG SM 52 2NP, 2005; only approx. 19 Mill imp; Alcolour; NP facility but not set up; fully automated; no known damage; good working condition. Well-looked after machine; Printer says "almost perfect" machine; In production; owner selling because of restructuring; CODE 1	P.O.A
22782	Heidelberg SM 72 ZP, 1979; conventional dampening, needs clean and service, Working condition. Still in production. Available Now . Code 1	P.O.A

### CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Machine Id	Details	Selling Price
25700	Heidelberg SM 74 2, 1995; 1995; Approx. 10.5 million impressions ,Ink ducts are laser cut with slider controls.The press has semi auto plate.Plate cocking,Alcolor with Baldwin refrigeration, Auto washers are plate, blanket & rollers.Manual ink control .CPC 1.01- Plate punch and bender Low pile Max sheet 530 x 740 Min sheet 210 x 280 Powder spray unit. Reconditioned pneumatic ram double piston valve Non stop delivery, approx.10 Delivery trolleys Most tools All manuals PLUS Shinohara Fuji 52 N/P,1987 Max sheet 520 x 360 Min sheet 105 x 148 In operation Standard molleton dampening No damage Swing away numbering & perforating unit 4 numbering boxes Manuals PLUS 1987 Wholenberg 115 MCS- 2TV Guillotine Operating No damage 4 blades All manuals PLUS Muller Grapha Stapler Operating No damage PLUS Soag paper drill Operating No damage	P.O.A
22996	Heidelberg SM74 2P, 1994; Low pile, Alcolor, Approx 73 million impressions, perfecting, accessories, CP Tronics, Autoplate, Autowashers (full), electronic, Grafix Powder Dryer, back cylinder jacket. Includes 2 x duct blades for wash up tray, recently rewired pumps, new feeder tapes, automatic blanket wash up / roller. Geared for numbering. No damage to cylinders. Machine is in production. Code 1	P.O.A
25620	Heidelberg SORMZ, 1983; 38 Mil Imp; Bareback Dampening; Baldwin Refrigeration/Recirculating ; Weko Powder Spray ; Square Button Machine. no damage to cylinders or gears ; good working condition. Code1	P.O.A
25679	Itek 3985, 1990; conventional dampening,working condition, free from damage	P.O.A
24305	Itek 3985, 1996; Crestline; Numbering and Perf; good working condition; code 1	P.O.A
24711	Komori S226P, 1985; Conventional dampening with Perfector. 74714436 impressions standard accessories manuals Good working condition. Code 1	P.O.A
24434	Komori Sprint 225B, 1976; Bareback Dampening, In production; Capable of printing 4 colour process; Mabeg feeder; both units have new bareback rollers; fountain pan roller - new chrome rollers; spray powder unit; Manuals; Good working condition; extras: A3 Trolley Attachment on delivery side for A3 sheets; On feeder - before front lay added attachment for thin sheet guidance - easy to take off if required. Most of owner's work is 90 or 100 gsm gloss paper; Delivery Drum installed. Available also free - damper washer, A2 plate burner for Komori with ark lamp; Code 1;	P.O.A
24784	Komori Sprint 228P, 1989; standard accessories, chrome cylinders, perfecting ,tools , conventional dampening, Approx. 42 Mil imp impressions.Working condition. On offer. code 1	P.O.A
25735	Komori Sprint 225 B, 1972; conventional dampening, tools and manuals with a Maybeg Junior feeder,Available Now. Code 1.	P.O.A
24468	Roland 202, 1989; series 248, Rolandmatics,4 gripper system, weko spray,quick action plate clamps,53 Mil Imp.Working condition.Max Sheet Size:520 x 740mm .Plate punch.Good working condition for age; code 1	P.O.A
25510	Roland Praktika, 1989; 2 colour press sheet size 360x520mm perfector, with Mabeg stream feeder. Type PRZ 00 2/0-1/1E. Series 166. 65 Mil Imp Condition good. Code 2	P.O.A
25195	Roland R 202TOB, 1989; Rolandmatics, 3 gripper system, weko spray,quick action plate clamps,53 Mil Imp.Working condition.Max Sheet Size:520 x 740mm Series 246. Availabe Now.Code 1B ON OUR FLOOR.	P.O.A
25104	Ryobi 3302, 1981; Molleton dampening, working condition.Standrad machine Code 1	P.O.A
22550	Ryobi 3302 H, 1999; 4 million impressions, 340 x 450 mm 90 x 130mm, standard machine, complete and with all standard accessories, all tools and service manuals,Single Phase.No operators manuals. Can be inspected. It has dampening solution cooling/circulation device. This continuous dampening original system came with the machine.10,000 sph Will handle 60gms easily. 3 trolleys, 2 feed boards, Machine runs well and is in excellent condition. Machine has been cleaned. Machine can do envelope work.Portrait Machine, ON OUR FLOOR	P.O.A
25519	Ryobi 512; standard machine, working condition Available Now. Code 1	P.O.A
25549	Ryobi 520GX, 2007; Just over 30 months old and has approx 2.6 mill imp. Ryobi PCS-H Printing Control System ; Oscillating bridge rollers; Auto blanket-roller wash; Plate punch; Specs: Max Speed 15,000/hour ; Max print area – 350 x 505; Max Sheet Size – 520mm x 375mm; Min Sheet Size – 100mm x 105mm; Max Stock Thickness – 0.5mm ; Plate Size – 510mm x 400mm ; Control & Regulation equipment - DC drive with revolutions storage; Plug type connections for all motors and fans; Computer control on all press functions; Inking unit; Dampen unit; Plate Register (individual & total); Digital display; Print counter; Feeder - Suction feedboard; Electronic sheet guidance control; Pile height 600mm; Swing lay infeed; Inking & Dampening Unit - Technotrans circulation device with alcohol replenishment; 4 inking forme rollers; Dampening roller run integrators or separators; Open inktrain to prevent heat buildup; No ink duct blade to wear out; Pneumatic on-off forme rollers; Rilsan oscillating roller; Oscillating bridge rollers; Printing Unit - Triple race bearings for blanket cylinders, high precision taper bearings for impression and transfer cylinders; All cylinders hard chrome treated; Double dia impression and transfer cylinders; All grippers double sprung; Maximum stock thickness 0.5 with no adjustment; All functions pneumatic on/off; Semi automatic plate change (no plate bending required); Cocking; Bearing cleaners; Vertical & lateral motorized register adjustment; Delivery - Non-stop delivery device; Decurling device; Powder spray; Air blowers to support sheet; Air fans It is in exceptional condition and has had all of its' routine maintenance performed. Including all standard tools and manual. Code 1	P.O.A
25676	Sakurai 258 E11, 1995; 41.2 million impressions, Alcohol dampening, Good condition Auto plate Plate cocking both units No auto washers Max sheet size: 460 x 580 mm. Code 2	P.O.A
25769	Shinohara 52 2PNP, 1995; ALCOHOL DAMPENING,55Mil Imp, WORKING CONDITION. Available now. Code 1.	P.O.A
24331	Shinohara 66 IIP, 1996; 14 Million Impressions,alcohol dampening,perfecting New Rollers,Excellent Condition,Available Now. Code 1.	P.O.A

## CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Machine Id	Details	Selling Price
6821	Shinohara Fuji 66IIP, 1993; Perfecting with perforating; refrigerated alcohol dampening; approx. 40 mill imp. Working condition; CODE 1	P.O.A
24871	Solna 225, 1979; Two tone gray; 19x25"; conventional dampening, pre-loader; still being used; working condition. No known damage. Standard tools and accessories; operators manual, parts manual, electrical diagrams. Code 1	P.O.A

## 4 Colour Presses

24919	Akiyama Bestech 428, 1989; High pile; electronic eyes; micro sided lays; Alcohol dampening, IR , console, impression counter does not work, working condition. In production. Includes manuals and electrical diagrams; Code 1	P.O.A
25159	Akiyama Hi Ace HA426, 1986; Bareback Dampening. IR at delivery end. Comes with tools and manuals . No punch needs a good clean and service, grippers need replacing. Still in production. Main motor 7 1/2 KW; Feeder pump - 1.5 KW. 3 phase; Available Now. Code 1	P.O.A
25430	Heidelberg GTO 52 V, 1987; 49 Million Impressions, Alcolor Dampening, CPC 1.01, Good Working Condition, Orange hide anti marking jackets on all transfer cylinders. It is a plus version has the ability to number and perf. (Do not have inking unit for numbering), Baldwin Unit, all tools, manuals/electrical diagrams. Available Now. Code 1.	P.O.A
25529	Heidelberg SM 74 4, 2004; CP2000, Presetting Light pen, 135 Mil Imp Chromium plated Impression cylinders, digitally controlled continuous dampening unit Alcolor Vario, 15,000 sheets/h maximum production speed, Touchscreen user interface, inking unit temperature control, Technotrans CombiStar, High Pile delivery, preloading, Heidelberg DryStar Ink, Grafix Alphatronic 200 powder spray device. Under PSA contract agreement; Under Production; excellent condition; code 1	P.O.A
25712	Heidelberg SM 52 4 SE, 2003; Classic center CPC 1.04 Autoplate Preset All auto wash up Mediprint powder spray device Numbering, perforating device; Speed 13000 sph; double sheet pull lay. rollers less than 5 million.	P.O.A
25732	Komori Lithrone 428, 2001; Type 11 Komorimatics, SAPC, PQC , CHROME CYLINDERS, 63 Mil Imp Run on a single shift only since new , with a Baldwin chiller unit, KMS TYPE 4, plate cocking, preset counter, helical gearing, preset counter, cardboard printing attachments, lateral, circumferential and diagonal register adjustments Krelus IR in the delivery, all manuals and tools but it does not have a plate punch, it does have spare rollers for nearly all the ink units the machine has been very well maintained. Good working condition	P.O.A
23296	Man Ultra 3, 1963; Conventional dampening, Sheet Size: 650 x 950mm working condition. The working area required for the machine is approximately 16 meters x 5 meters Code 1	P.O.A
24124	Sakurai Oliver 458, 2001; Max sheet size: 580 x 460 mm; Min 100 x 148 mm (perfecting 270 x 250 mm) ; Speed 4,000 ~ 13,000 (perfecting 11,000 SPH) Circa: only 8.1 millimps ; SCC off press colour control consol ; Suction feed board ; Olivermatic alcohol dampening + cooling ; Semi auto plate loading ; Auto ink roller wash ; Auto blanket wash; Remote running register ; Remote plate cyl cocking on the run ; Auto convertible ; perfecting 2/2 or 4/0 ; Sheet decurler; Electro Jet powder spray unit ; Semi high pile delivery ; Motorised delivery pile height. Good condition ; still under power; Code 2	P.O.A
24740	Shinohara 52 IVP, 1999; Perfector Press; 2 /2 ; UP TO 14 X 20.5" ; 356 X 520 mm; Maximum sheet size 370mm x 520mm, Maximum Image Area Plate Size. 360 x 510 mm ; approx 90 mill imp; Control Console CIP-3 Continuous; CIP-3/4 is only Floppy drive based ; SAPC ; cocking; Automatic Ink Roller Wash; Auto blanket wash; Dry Powder Spray; sheet registration sensors on the feeder; special clamps to stop the plastic plates from a DPX from stretching during the runs. (which is great for P4 if printer has DPX); thickest stock 350 gsm; Anti-marking jackets on the press; with spare pump, spare blankets, few new rollers; good working condition. Machine is complete, no known damage; Weekly maintenance of filter clean and greasing; cylinders good, can be inspected. Code 1	P.O.A
25733	UITRA MAN 4 OVI, 1970; Conventional dampening, working condition. 1020 x 1420 mm, No impression counter, Can be inspected Code 1	P.O.A

## 5 Colour Presses

25015	Heideberg Speedmaster 102FPP, 1983; Double Perfecting. 28 x 40"; approx. 164 mill imp; CPC 1.02 with magnetic pen, Version Console; Sheet loader; continuous feeding; electro sprayer powder system; WEKO; Baldwin Chillers; Auto-plate cleaning system; Alcolor Dampening; Perfecting after unit and again after unit 2 .good working condition. Cylinders good; no known damage; can be inspected; Code 1	P.O.A
22957	Heidelberg GTO52FPS, 1995; 49 Million Impressions, Alcohol Dampening, CPC 1.03, CPTRONIC. CPC 4 Register Control. Perfecting works with no problem. Good Working Condition, Orange hide anti marking jackets on all transfer cylinders. It is a plus version has the ability to number and perf. The standard steel jackets on units 3, 4 and 5 would need to be replaced with perfecting jackets (Do not have inking unit for numbering), Baldwin Unit Code 1b.	P.O.A
25589	Komori L520, 1991; Approx 78 milimps ; PQC remote controls ; Komorimatic dampening + cooling ; Quick action plate clamps ; Protocol pin register ; Chrome impression cylinders ; Powder spray unit ; Standard accessories ; Good working condition . Still in production and can be viewed running; Code 2	P.O.A
25833	Komori Lithrone NL 528EM, 2006; Size B2 Max Size 520 x 720 mm Min. Sheet Size 200 x 280mm Max. Mechanical Speed 15,000 sph Equipped with: S-APC Semi Automatic Plate Change Paper Presets KMS IV Management System AMR Automatic Make Ready Automatic Ink Roller, Blanket Wash and Impression Cylinder Wash PQC Off Press Controls with Plate Cocking Komorimatic Dampening Technotrans Alpha D Refrigeration & Recirculation Unit Oscillating Anti Ghosting Rollers Non Stop Delivery with Steel Plate Weko AP230 Powder Spray Device The press is in Excellent Condition both Cosmetically and Mechanically. Supplied complete with Atlas Copco Compressor, Cloth Rewind Unit for Wash Ups, Tools and Manuals Impressions/Hrs: 21 Million Impressions	P.O.A

## CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Machine Id	Details	Selling Price
25731	Komori Lithrone LS 529, 2006; 40 Million Impressions, Straight machine 5/0, KMS Komori management system, PDC print density control, ABW, AIRC, AICC, Ink temperature control, PQC 2, Komorimatic dampening, AMR, SAPC, Full paper size & thickness settings automatically, Chromed cylinders, Tower coater, extended delivery, h & B anilox roller 120 l/cm, Grafix digitronic powder spray device, IR dryer Jac de Vries, Partially dismantled, available immediately. Available Now, Code 6.	P.O.A
24895	Man Roland 305B, 1998; Max sheet size: 530 x 740 mm; CPL Auto plate, Rolandmatic Dampening, 133 mil imp; RCI remote inking, Technotrans, air compressor, plate punch, and sound box for compressors and a work station; perfecting- 5/0, 2/3 (not working), working condition before disconnection. Maximum board thickness for the 305 is 0.6mm. Printing Press decommissioned and packaged ready for transport by Man Roland Technicians. Test prints available at time of inspection. Code 1	P.O.A
25734	UITRA MAN 5 OVI, 1975; Conventional Dampening, main electronic drive replaced, 1020 X 1420MM SHEET SIZE, 5 years ago, working condition, free from damage, No impression count. Available now. Code 1.	P.O.A

## 6 Colour Presses

22613	Akiyama HI ACE 640IIIc, 1986; Sheet size - Max 1020 x 710 mm ; min 540 x 260 mm; standard machine, conventional dampening . Approx. 57 imp; No damage to cylinders - good. No past repairs. Standard machine tools, spanners, manuals and electrical diagrams; Good Working condition. Can be seen in operation; Code 1	P.O.A
25420	Heideberg XL105 6LX, 2008; UV & Aqueous Coater, double coater In-line Foil-star, Extended Delivery, CP-2000, 60" Plasma Screens ; approx. 13.3 Million Imp; good working condition; Available now; Code 1	P.O.A
24915	Heidelberg CD 74 6LXX, 2003; F Format, Approx 40 Mil Imp. Alcolor dampening, UV Equipment - INTERDECK UV; 3 1ST interdeck driers, water cooled (1 x 200 W/cm lamp per interdeck, cold mirror reflectors, stepless output control, water cooled shutters, power and control cabinets) ; 8 X 200W ; UV PREPARATION FOR THE COATING UNIT; IST UV - 1 after each print unit, 1 after coater ; UV preparation in the delivery; 1x delivery with Aqueous coater; UV inking rollers; UV dampening forme rollers; 6 preparation for UV interdeck cassettes; extended delivery (240 cm) ; High pile feeder; Elevated version (550cm) ; 2 analogue rollers; Drystar Combination UV end-of-press drier with 3 x 200 W/cm lamps, cold mirror reflectors, UV control console in CP2000 design, 1 cold air cassette, Drystar 2000 combination with CAN connection; Technotrans combination unit CombiStar, ink temperature control with Alcosmart; non-stop feeder; non-stop delivery with rake and secondary pile hoist; Ink move agitators; 2nd coating circulation unit; Air supply cabinet AirStar; 5m extended cable for control box; 12.5m extended cable length for the CP2000 unit; 1 set oil drip pans, ultrasonic double sheet detector; Intercom; Grafix Exatronic CAN (powder spray device) ; special kit for foil printing; pump for water cooling and water coller; Disconnected ready for shipment ; ex demo machine; Installed in 2007. Dimensions : 13.25 metres (L) X 4.7 metres (W) x 2.5 metres (H) for machine alone plus ancilliary- 1.05 pre stacker and 1.5 metres. Power consumption: 200 KVA. Engineer who dismantled the machine can re install for an additional cost. Guarantee given on machine's condition. Code	P.O.A
25375	Komori 626, 1996; PQC ; INK ROLLER AND BLANKET WASH ; IR DRYER ; ALCOHOL DAMPING WITH TECHNOTRANS ; CHILLER; MACHINE COMPLETE AND IN GOOD WORKING CONDITION. NO KNOWN DAMAGE; CODE 4	P.O.A
23733	Komori L628, 2000; Approx 99 Million Impressions, Komorimatic dampening, SAPC, CIP3 Compliant, Includes standard tools, accessories, manuals and electrical diagrams. No IR or ink temperature controll. In production. Working Condition. Code 2	P.O.A
25809	Komori Lithrone L628 LXC, 1994; 61 Millon Impressions, Equipped with Komorimatics, Auto Plate, Plate Cocking, IR Dryer, 6 Roysse Units, Extended Delivery, Tower Coater, No Damage to Cylinders or Gears, Available Now. Code 3.	P.O.A

## 8+ Colour Presses

25557	Heideberg 102 10P S, 2004; 10 colour press; 187 Mil Imp, CP 2000, Alcolor continuous dampening, perfecting, good working condition; in production; code 1	P.O.A
25708	Heidelberg 102 8P, 2000; 307 Million Impressions, Perfecting, Sheet Size: 72 x 102mm, Max Speed 13,000 IPH, Alcohol Dampening, CP 2000, Sheet Perfecting Device between Unit 4 and 5, Remote Inking Control, Preset, Machine Information Display at Feeder and Delivery, Interface adaptor, Automatic Inking roller Washup, Sheet decurler, IR Dryer, Graphix Powder Spray, Semi Auto Plate, Technotrans, Tools, Manuals, Available Immediately Code 1	P.O.A
25806	Heidelberg XL 105 10P, 2008; 10 Colour Offset Press with 5 over 5 Perfecting, Extended Perfector, CP2000, 60" Plasma Screen Impressions-10Million.	P.O.A

## Bag/Box Making & Other Machines

25805	Omalmcentre 1257, 1992; 6 colour CI, 1480 MM web WIDE, 1400 print width, in production making plastic bags. Runs at 200 metres per minute Sold due to machine upgrade to faster machine. Manuals- including electrical and operating. Operates well Available End of September 2011. Code 1	P.O.A
24023	Smooth Bonwell Food Box Making Machine, 2003; Noodle Box Making Machine, Box Former that can produce microwaveable box for hot food like burgers, etc. Fuses SBS boards or (2) Sided Poly through heat bonding ; 350ums - 530ums. (Same principle as for Milk Cartons), Including two (2) forming moulds of box / food pails volume sizes 26oz (750ml) and 32oz (1,000ml), which can be interchanged. Virtually new, only used for 6 months, then used sporadically, excess machine. Speed: Approx 15,000 Pails per day ; Machine Nett Weight: approx 1200kgs, each mould weighs about 30 kg. Packing Dimensons: L3600 x W1600 x H2450m, .Available Now. Training is available. Code 1B.	P.O.A

## CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Machine Id	Details	Selling Price
------------	---------	---------------

## Bindery

22789	Bourg BB3001; Single Clamp Binder,Text size:Min: 90mm (h) x 60mm (w),Max: 385mm (h) x 320mm (w),Cover size:Min: 100mm (h) x 200mm (w),Max: 385mm (h) x 695mm (w) ,Book Thickness:Min: 3mm,Max: 45mm,Operational, Available December 2010 Code 1	P.O.A
10201	Bristol Paper Drill; Standard machine. Single-head drill; Adjustable backstop; On our floor.heavy duty Code 1B	P.O.A
23353	Challenge Drill MS10; 5 head Drill, working condition with many accessories .in operation. Available December 2010 Code 1	P.O.A
22245	Custom Cryphon V Type Drill; In working condition. TABLETOP On our floor Code 1.	P.O.A
25500	Drill 0; Drilling machine. SINGLE HEAD. Footswitch (shown resting on top). Includes numerous drillbits. capable of forward & reverse. Capable of stepping & repeating. Good working condition; Code 1	P.O.A
24056	Duplo 4000, 2007; 10 Bin Collator; fast machine; Made in Japan; power DC 10/60; 220-240V; 50 Hz; 4.5A; working condition. Code 1	P.O.A
25729	Duplo Folder Staple Trim; Duplo Stapler Folder DBM 120, Trimmer DBM 120T, Available Now. Code 1	P.O.A
25536	Eurobind 38 4 matic, 1996; single clamp perfect binder ; makes 200-300 units per hour ; hotmelt; good condition; code 2	P.O.A
25319	Horizon AC 800; booklet line ; horizon 8 bins collator AC-800s: SPF-10 stitcher folder and FL-10II horizon trimmer;A5-A3 code 1	P.O.A
24340	Horizon BQ 440, 1996; Perfect Binder,Book Count: 740,000 4 clamps, Thickness, 1mm - 40 mmGood Condition, New Glue Pot is 2 years Old, Milling Blade 4 Months, Replaced wire on side glue wheels, 415 V, 3 Phase Power, Code 2	P.O.A
24279	Horizon BQ460, 2001; Rotary binder, Stacker and 3-way Trimmer; 458,170 Books, standard heavy-duty four-clamp semi-automated Horizon perfect 4 clamp binder combines superior quality with touch screen control. A single operator can produce up to 1,150 perfect bound books per hour. Suitable for short, medium and long run-lengths, and on-demand binding applications, the BQ-460 is connected in-line with the HT70 3 knife trimmer.S p e c i f i c a t i o n s : Binding Mode: Binding with milling, Binding without milling Number of Clamps: 4 Book Block Size: Top-Bottom x Fore-edge Max. 320 x 320 mm Min. 110 x 145 mm Binding Thickness: 1 to 55 mm Cover Size: Top-Bottom x Fore-edge Max. 320 x 650 mm Min. 145 x 260 mm.230 mm requires small size spring. cover Weight Range:Normal Paper 82 gsm or up.Coated Paper 105 to 302 gsm Cover Pile Height: Max. 200 mm Production Speed: Max. 1,350 cycles/hr. 415 volts;The 4 clamps rotate over 2 bottom rollers on the glue pot & 2 side rollers for the side gluing of the cover ; Good condition; In production; Code 1	P.O.A
25270	Horizon HCM1 and HCP1, 2007; Two Machines go together. Used Horizon HCM-1 Case Making Machine, with HCP-1 Casing In Machine For on demand Case Binding of A4, A5 and A6 Books,Max Speed: 40 books per hour,Book Block: Max (297mm x 216mm), Min (133mm x 136mm),Book Thickness: Max (25mm), Min (3mm), Produces extremely high quality case bound books. Full specs attached. Available Now. Code 1.	P.O.A
25450	Horizon ST 20; Stacker X 2 to match Vac system, working condition. Code 1	P.O.A
25451	Horizon ST 60; Horizon Stacker X 1 to match Vac system	P.O.A
9842	Lihit Benchtop; Auto punch; paper drill. Tabletop ; ON OUR FLOOR Code 1.	P.O.A
24637	MBO SF 56, 1998; Thread Sealer. Max infeed size – 560 x 510 ; Min infeed size – 160 x 145 ; Max delivery size – 280 x 510 ; Min delivery size – 80 x 145 ; Machine speed – 5 to 100 mtrs/min ; Space requirement – 1.2 m x 4.1 m ; Thread stitches – Length 12 mm ; Distance between stitches – 38.1mm ; Max qty of stitches per sheet – 13 ; Min qty of stitches per sheet – 1 ; Stitching speed – 2630 stitches per min; Good working condition; one owner. code 1	P.O.A
25656	Muller Martini NORMBINDER, 1987; 18 clamp ,18 HOPPERS, with 3KT AND STACKER, FULLY AUTO, RECONDITIONED PUMPS AND NEW CHAINS. Good working condition. Code 1	P.O.A
25546	Muller Martini Panda, 1986; 12 collating units Type 1530 L5 8 clamp.Speed – 1000 to 1500 per hour No 3 knife trimmer attached Extraction equipment available with machine Available now. Code 1.	P.O.A
24137	Muller Martini Rotary Perfect Binder 245; cover feeder; Hoppers; 5 clamps; milling unit with extractor for dust, extractor for fumes; gluer for hot glue; mill unit mills off spine for smooth finish; good working condition; comes with manual; Floor space is 2040mm x 1950mm; 1500 books per hour; code 1	P.O.A
25661	Rilecart Wiro Binder 480, 1999; with punch , Rilecart Punching Wiro Tape 4/42, Rilecart Wiro Machine Closure Tape TP 480, working condition. Code 1	P.O.A
25481	Sunray B50; Single clamp binder with cover feeder, working condition code1	P.O.A
25186	Uchida AR 8, 2008; Sticher and Folder, ISP Sticher/ Folder it is suction feed comes with 2 stitcher heads no trimmer but it is in very good condition 8 Bin collatorSheet Size: SRA3, Available Now. Code 1.	P.O.A

## Bindery/Saddle

25593	Bourg BDT; A3 booklet maker comes with 2 x 10 bin towers , working condition. Towers being used; code 1	P.O.A
-------	---	-------

### CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Machine Id	Details	Selling Price
23875	Duplo Systems 5000, 2007; Dynamic Booklet Maker. Collator, stitcher, trimmer, 20 bins; almost new; hardly been used - reason for selling ; Good condition; Code 1	P.O.A
25803	Gammerler RS113 530, 1995; 2 x Gammerler RS 113 530, in-line ROTARY 3-way trimmers PLUS 2 X BUMP TURN. NO STACKERS .Min. 130 x 120 mm Max. 530 x 530 mm WORKING CONDITION.Each unit is this cost Code 1	P.O.A
23144	Horizon MAC 80 SPF 11, 1995; Can saddle stitch A3-A4 or A4-A5. Stitcher and folder includes 8 bin collator MAC 80. 2 stitcher heads in good condition.Sheet size: from 148x210 mm to 318x470 mm; Speed: max 2500 sheets/h (8 bins) SPF10II/FC10II Sheet size: from 148x210 mm to 330x470 mm ; Block thickness: max 4 mm ; Stitching distance: 73-160 mm; Speed: max 2600 sets/h Horizon Compressor, feet, stitcher heads, conveyor and various parts. Suction fed, NO TRIMMER; on our floor. Code 1	P.O.A
25331	Horizon MC 8, 1995; Collating system, comprising:1 x MC8a Collator tower (8 bins),1 x MC8m Collator tower (8 bins),1 x SPF-10II Stitcher & Folder,1 x FC-10II Trimmer,1 x PJ-75 Jogger,Available Now. Code 1.	P.O.A
22867	Horizon Stitchliner 5500, 2003; 2.7 Million books on the Counter, 6 x Towers -Vac 100 a/Vac 100m/Vac 100m; 1 x Stacker; 1 x ACF Accumulator Folder; 1 x SPF 30 Saddle Stitcher; 1 x HTS 30 3 knife trimmer with centre cut ,can do reverse binding x TB 30 Trimmer Blower ; 1 x Air compressor App4 3 cylinders, 2 x VAC-100 a/m/c, Vacuum Assist Blowers,TB-30 - Trim Waste Blower,PK-30 - Preset Kicker,Center Cut Devise (CC-06, CC-08, CC-1/4), 4 heads plus a centre knife which is 6mm double cut - could run 3 stitching heads , No Loop stitching kit. Central Operating System, Full Service performed June 08; Excellent condition. Electrical Wiring Specification: Power Requirements: 3 Phase 415V Power Consumption: 50/60 Hz 2.6Kw; no known damage; all complete; Code 1	P.O.A
25777	James Burns Binding HDP; Heavy duty hole punch, series 22" and James Burns wire closing machine, model HDC, series H3 working condition	P.O.A
25610	Muller Martini 1509, 1986; 6 Hoppers; 4 Handfeeders; Trimmer; Stacker; no cover feeder	P.O.A
24960	Muller Martini 1509, 1992; 6 hoppers 1533, plus 1528 cover feeder and 3 KT. Machine has been shrink wrapped onto pallets for transport , guarantee it performance in writing. Working Condition Code 1	P.O.A
25444	Muller Martini 221; 6 Stations , no cover feeder. Model 217 3 knife trimmer, has 5 knife kit as well,4 stitcher heads, includes drop trays; still in production; Machine complete, without any known damage; plus 8 stitching heads including 4 loop heads.Available Now. Code 1.	P.O.A
25523	Muller Martini 335; 1 x 1528 Cover Feeder, 6 x 306 Feeders, 3 knife Trimmer and Shingle delivery. Working condition Code 1	P.O.A
24957	Muller Martini 890, 1978; Available Now. Code 1.	P.O.A
25083	Muller Martini JGV; 6 handfed station plus 2 head stitcher, working condition no cover feeder or 3KT Code 1	P.O.A
25832	Muller Martini K235, 1984; 4 type 888 and 3 type E6 , PLUS type 233 COVER FEEDER, 3KT type 890 WORKING CONDITION PLUS JGV BINDER 3KT type DSS ,8 hoppers 2 type 888 and 6 type E6 BOTH in working condition. Package deal Code 1	P.O.A
25658	Muller Martini Presto, 1997; 1528-0417-1977, 6 hoppers with cover feeder, 10 stitching heads,Working condition Code 1	P.O.A
25657	Osaka 368, 1999; 8 HOPPERS PLUS COVER FEEDER, Osaka Stitching Line Model 368 Osaka Feeders Model 821B, Osaka Trimmer 368, BEXTRACTION WASTE REMOVER, Good working condition Code 1	P.O.A
25538	Polygraph 703; single head heavy duty stitcher; working condition; code 2	P.O.A
23277	Polygraph Brehmer 0; Single head stapler, flat and saddle. Uses spine staples with premade staples Code 2.	P.O.A
22784	Sheridan 562 642 6, 1990; 6 station with cover feeder, spare blades for the trimmer, 3KT.Available December 2010Code 1	P.O.A

## Cylinders/Plattens/Diecutters/Foiling

25687	Adast platten, 1957; standard machine, working condition. Code 1	P.O.A
24640	Heideberg KSB; 400 x 570mm ; some Furniture , 3 Delivery trays , lock up bar ; good working condition. On our floor. Code 1	P.O.A
25767	Heideberg KSBA, 1969; very good condition comes with standard accessories lock up bar and still has all ink rollers code1	P.O.A
25766	Heideberg SB, 1955; 28" x 21" very good condition , standard accessories , manuals tools in good condition code 1	P.O.A
25554	Heideberg SBDS, 1981; Letterpress used for Diecutting 640 x 900; grey model, No damage to bed; cuts well; good working condition; still in production; no known damage; Probably the last of the 1981 machines before production halt. Code 1	P.O.A
25435	Heideberg T platten, 1940; A4 size ; printer used for diecutting self-adhesive labels; facial panels; 0.25 polycarbonate and electrical insulation boards. Had new arms put in 5 years ago; includes allen key and accessory for locking up die; the ink unit has been removed; single phase; 1 chase; code 1	P.O.A
25762	Heidelberg GT PLATTEN; very good condition foiling and die cutting only comes with all OHS standard guards STANDARD MACHINE,WORKING CONDITION	P.O.A

## CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Machine Id	Details	Selling Price
25322	Heidelberg GT Platten; standard machine, 340 x 460 mm max sheet size; used as diecutting; working condition; Available Now. Code 1C.	P.O.A
25158	Heidelberg KS Z; 38 X 52CM, IS 2 COLOUR VERSION has rollers,OR CAN BE USED AS 1 COLOUR + FORME CUTTING,Available Now. Code 1A	P.O.A
25686	Heidelberg KSBA, 1965; Sheet Size: 460 x 585 mm (18 x 23 ins) Surplus to Printers Requirement, Working Condition. Comes with Chase, Trolley and Feedboard, Available Now; Code 1A	P.O.A
23105	Heidelberg S series; Cylinder 5 X Perf Arms. Good Condition. ON OUR FLOOR \$1200 EACH	P.O.A
22492	Heidelberg SBB, 1965; standard machine, 57 x 82 ; working condition; can be seen operating. Code 1 Max Sheet Size 570 x 820mm.	P.O.A
25771	Heidelberg SBG; 540 x 720mm,The cyclinder is in pretty good order (no broken teeth). It is a Heidelberg Letterpress cylinder press, model SBG and serial number is 2957348. The cylinder is in regular use.Code 1	P.O.A
24019	Heidelberg SBGZ, 1960; standard machine,good condition.Max Sheet : 540 x 770mm Comes with 1 x trolley and 1 x feedboard 2 x chases.ON OUR FLOOR. AVAILABLE NOW.. Code 1	P.O.A
25760	Heidelberg T Platten; Sheet Size: 11 x 10", Available Now.Code 1.	P.O.A
25774	Heidelberg TPLATTEN, 1978; STANDARD MACHINE,WORKING CONDITION Code 1	P.O.A
25775	Heidelberg TPLATTEN, 1980; STANDARD MACHIne working condition Code 1	P.O.A

## Digital Machines

25567	Fuji Xerox 525, 2010; standard machine with saddle stitch, barely used. Code 1	P.O.A
25568	Hewlett Packard x, 2010; standard machine,wide format,Non solvent, latex, barely used. In production.	P.O.A
25820	OCE 7650, 2006; Variostream 7650 Twin Cont. Printing System Roll To Cut Sheet Book Block Sys Hunkeler MBO folding Unit stacker unit weko Unit Prisma Pro POD V3.02 with Server Pro Doc Composer Distributed plant library POD Module TIFF Converter	P.O.A
24926	Roland SOLJET PRO II EX SC 540, 2004; 6 Colour Print and Cut machine; Large format printing; computer cut vinyl; vehicle wraps; 1440 dpi; Flexible eco-solvent printer. Good print quality. Capable of printing on high quality coated materials at high resolution as well as uncoated vinyls and banner material ; high speed - 28sq m per hour; maintenance free; can be left unattended without clogging or drying up of heads; low odour; no need for extraction system; supplied with coloRip software - full featured Postscript - level 3 RIP; supports tiling, nesting, job queueing with wide range of media profiles; easy connection with USB; includes window driver; It comes with a full set of inks plus a couple of spares ; brand new take up roller; does not have a bulk ink system. It has not needed any heads replaced.Dimensions: approx 2600 x 1200 in size when assembled including the take up roller. The weight 200-300kg. Good working order. Complete service history; Last full service was around August 2010; Comes with instruction manual. Code 1	P.O.A

## Envelope Machines/Misc.

23432	Sandt Auto Diecutter, 1985; automatic die cutter for envelopes,standard machine working condition; Code 1	P.O.A
25660	Stahl TD 94 644, 2006; all buckle 6 x4 x 4, digital with tremat feeder. Can handle 1420mm x 950 mm Good working condition Code 1	P.O.A
5207	Winkler & Dunnebier 227 G, 1966; 2 outside printers plus embossing, Run everyday.Code 1	P.O.A
25576	Winkler & Dunnebier 380, 1988; PACKAGE DEAL: 2+1 flexo printing units Doctor Blade System, window station, drying station tower. 2 x FL Smithe Envelope Making Machine, RA-800, Year:1991 and 1992 With window station, 2+1 flexo printing units Doctor Blade System.Available Now. Code 1.	P.O.A
23435	Winkler & Dunnebier 41; Set up to do 230mm x 310mm. Can do C5 & 160mm square. Blank fed, does 'lick and stick', not peel and seal. Good working condition. Code 1A.	P.O.A

## Folders

25178	Euro eurofold 245.230, 2006; A3 size ; does creasing; suction feed folder that does A4 to DL ; very good condition; near new; manuals and tools ; dimensions - 2 x 1 m; code 1	P.O.A
24224	MBO T 49 4 4K, 1989; 4 Buckles, 8 bins ; Z2 knife unit; can fold paper sizes range: 100 x 150mm through to 490 x 690 mm. Max speed approximately 15,000 sheets per hour. Can be separated in two as the second unit rolls away from the main unit. Both units capable of being 8 page units. Machine is belt-driven on all units. The Z2 knife unit is also a roll-in-roll out unit; manuals for both main and kniefe unit; Working Condition, Available Now. Code 1.	P.O.A
25533	MBO T540C, 2000; continuous feeder 6/6 with a 4/4 cross fold good condition and still in operation; code1	P.O.A
22839	MBO T69 442, 1987; 6/4 Buckle Folder ; A2 , Shingle belt delivery system; Working condition. Currently in production Code 2.	P.O.A
25426	MBO T800, 2001; 3 stations; 16 PAGE A4 OR 32 Page A5, Made in Portugal; No known damage. Working condition; code 1	P.O.A
25835	Morgana A3; A3 with crossfold, Can do A3 to Dlworking condition.Code 1	P.O.A
24668	Secap SI3200, 2000; Folder and Inserter; Desktop model ; code 1	P.O.A

## CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Machine Id	Details	Selling Price
24143	Shoei Star Silent KT, 1994; 4 Buckles, 1 knife. Fan/air-blast (at the back); 3-phase; can manually preset electrolite counter to fold, example 100 sheets; Has feeder that drops to ground prior to production to deliver 5,000 sheets; cross-fold; In good working condition; still in production; hardly used rollers (approx. 2 y.o.) Owner did mainly A4 to DL size jobs; never used second buckle (side buckle folding A3 to A4) - printer did not have big jobs; Equipped with a double sheet detector. Also has an automatic counter which is set to whatever bundle you wish to band your folding to. Can be inspected; code 1	P.O.A
25776	Stahl K56 4KTL, 1984; STANDARD MACHINE, Flat pile feeder Excluding pump Tremat suction head Stahl PCS100 counter 4 parallel folds Cross fold WORKING CONNDITION	P.O.A
25612	Stahl K66 KTL F, 1985; 660 mm; pile feeder K66 has a spine glue attachment with it .Three rollaway units from stahl 78 USED In conjunction with the K66.The folder it is in fair working condition. Also comes with Stahl K49 FOLDER Code 1	P.O.A
25162	Stahl KB 49; Knife Unit it Suit a Stahl 49. Available Now.	P.O.A
23058	Stahl KB36, 1989; Accessory: knife unit KB36 ON OUR FLOOR CODE 1A	P.O.A
25192	Stahl KC 56, 1990; 4KTL - FE, Stahl KC 56/6 KTL year 1990, flat pile feeder, Tremat, overlap delivery ,counter, 4 bucklets 2 knives, Steel Side Tables, Overhead Florescent Light. 3 Phase Power. Available Now. Code 1.	P.O.A
25428	Stahl KC66, 1997; 16 page folder, continuous feed and double gate fold. Working condition. Code 1.	P.O.A
25659	Stahl KD 66 4, 1998; 4 BUCKLES AND 2 KNIVES, working condition Code 1	P.O.A
25782	Stahl KH 66, 2009; 4 BUCKLE, PLUS KNIFE , 660 X 1040 MM, 16 PAGE , 1000 SHEETS PER HOUR.	P.O.A
22785	Stahl RF66V, 1988; all buckle 6/4/2 Buckles A2 To DL. Max sheet size: 660 x 1040mm, A2/DL. Round Pile. Can do 16 and 32 page sections depending on the imposition of the job. The machine can be seen running. Available December 2010 code 1	P.O.A

## Folders/Gluers

25285	Guangzhou Keshenglong BF 2460, 2005; Semi-automatic. Good working condition. No known damage. code 1	P.O.A
25741	Nordson Hot Melt Gluer; Available Now. Code 1.	P.O.A

## Guillotine Blades New

23148	Ideal 52; (4) (630 x 89 x 88 mm), \$275 Each. Weight - 5.3 kg. Box Dimensions - 70 x 15 x 5 cm ; Code 1.	P.O.A
23149	Maxima 80; (3) (1000 x 140 x 10 mm), \$375 Each. Code 1.	P.O.A
23151	Polar 105 107; (9), (1295 / 1325 x 120 x 11.95 mm), \$375 Each. . Code 1.	P.O.A
23152	Polar 115 ED Mohr; Blade knife, near brand new. Code 1.	P.O.A
23021	Wohlenberg A43DM; 1 box, 3 knife trimmer knives.	P.O.A

## Guillotine Blades Used

3267	Maxima 82; (1) (1000 x 140, 10 mm), offers considered.	P.O.A
3271	Polar 105; (2) (1295 x 120 x 11.95 mm), offers considered. On our Floor	P.O.A
23611	Polar 115; 1 x near new blade, 2 x 50% used blades. \$200.00 each 1 x 25% used blade \$400.00 each. Dimensions: 1600 x 250 x 50 x 30 kg; The following approx. measurements are done from the first set of bolt holes closest to the cutting edge : 75% blade is 50mm ; 50% blade is 70mm ; On our floor	P.O.A
3265	Wohlenberg 112/115; (1), (1380 (L) x 125 x 12 mm), (14 holes)	P.O.A
3270	Wohlenberg 92; (1) (1100 x 125 x 12 mm), offers considered.	P.O.A
23742	Wohlenberg MCS2TU, 1985; 2 Wohlenberg blades for MCS 2TU 1985 model - sharpened still like new	P.O.A

## Guillotines

25736	Adast 80 E; safety light curtain, soft clamp, tools did not see any manuals and has 4 spare blades about 1/2 used. the machine is still in operation but the program does not work, Available Now. 4 x Spare Blades, Code 1.	P.O.A
23286	Bauman Stacklift NU1000L, 1999; Accessory for a guillotine, 3 phase, 415 Volt, stacklift with pneumatic top clamping and aeration, needs to be connected to main compressor. Excellent condition. Pre cut machine. Needs a 10 cubic foot compressor. On our floor. Code 1	P.O.A
25488	EBA 720; WORKING CONDITION, electric BACK GUAGE with micro adjustment facility at front . Code 1	P.O.A
22464	Herless Metal; 1. 2 metres metal guillotine In working condition. On our floor. Code 1. The guillotine is a foot operated light weight sheet metal cutter, and could do any sheet up to 2.5mm thick and 1200mm wide. It is completely manual and has no hydraulic system. It will not cut paper or plastic, it is designed for light sheet metal only.	P.O.A

## CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Machine Id	Details	Selling Price
25563	Ideal 5221 95 EP, 2006; German made; Programable with backgauge control; Electronic programming is all in working order. Digital display for measurement readout ; 10 button key pad; memory ; 9 programs ; high quality blade; safety drive; cutting aid for aligning paper; automatic blade return; disc brake for instant blade stop; Machine serviced in March 2010; does not have the side tables; Cutting length 520 mm; cutting ht - 80 mm. Table depth - 520mm; narrow cut - 35 mm; power supply 230v/50Hz; blade drive - 1.1 kW; clamp drive - 0.32 kW; Backgauge drive - 0.1kW; Dimensions approx 1260 x 855 / 1560 x 1067 mm; weight approx 262 kg; Complete, good working condition; visually appealing. No known damage. code 2	P.O.A
25727	Itek 5250; Available Now. Code 1.	P.O.A
24221	Itoh 85, 1988; Air-fed on both main bed and both left and right tables; With magic eye safety and automatic backstop. Fully programmable, 3 phase power, all tools and equipment for changing blade. Two Spare blades available. Comes with 9 cutting sick; includes manual, operation, instruction and parts manuals. Available Now. Code 1.	P.O.A
22857	Itoh Itoh Guillotine Parts; Variety of Spare parts. See attached list for detailed description. Photos can be sent on request. ON OUR FLOOR. CODE 1	P.O.A
25804	Multicut 10 720E, 1981; comes with 4 spare blades, saftey curtain, tools and manuals code 1	P.O.A
23556	Polar 107; Glass Rule. Brand New. On Our Floor. Code 1 A.	P.O.A
25719	Polar 107EL; no program, lights 4 spare blades Working condition Code 1	P.O.A
25462	Polar 76 EM, 1985; programable; comes complete with 3 sharp blades. Good working condition; owner had used less than 5 times the past 8 years ; kept as spare machine but never need to use as owner's other bigger machine was running well; no known damage; code 1	P.O.A
25758	Polar 82 ST; soft clamp, light curtain, 1 spare blade, tools good condition no air table Available Now. Code 1.	P.O.A
22788	Polar 92 EM, 1994; Monitor; Standard machine, programable, guards included, air table, manuals. Available december 2010 Code 1.	P.O.A
25721	Polar 92 EMC, 1990; STANDARD MACHINE , Colour LCD MONITOR,airbed, NO CHROME table. Working condition.Code 1	P.O.A
23898	Powercut 94, 1985; with Air Table; Max cut: 940mm, working program, good condition; stainless steel table front section only; saftey light curtain; 1 spare blade some tools can be seen working. A2+; ON OUR FLOOR. Code 1	P.O.A
25179	Schneider 106, 1965; very good machine with a new IGS program fitted ; manuals; soft clamp; tools ; air table is middle only ; still in production ; code 1	P.O.A
25674	Schneider 115 ELINE, 1998; standard machine, Still in production, tools, manuals, light curtain, chrome air table and a pile lifter Good working Condition. It is mechanical drive (not hydraulic) Code 1	P.O.A
25780	Schneider Senator SC Video 155, 1997; comes with all manuals, 3 blades, extended side tables, chrome on middle table only , air, safety curtain, pile lifter all tools very good condition still in operation Code 1	P.O.A
25503	Wohlenberg 150, 1978; with microcut program,safety lights, 1 spare blade., Sise table, 1 laminex plus 1 steel Code 1	P.O.A
25808	Wohlenberg 92 CUT TEC, 1996; STANDARD MACHINE, PROGRAM, SAFETY LIGHTS, up to 1.500 programs storage capacity LCD display stainless-steel plated airtables electro-magnetic clutch safety light barrier positioning system ajdustable hydraulic pressure from 200 to 3000 depth on front table : 670 mm, depth of rear table : 930 mm clamp opening : 115 mm with plate or 120 mm without plate 42 cycles/min. weight of machine body : 1.220 kg - weight of table : 410 kg = 1.630 kg Working condition Code 1	P.O.A
25459	Wohlenberg Hannover 168; Max width - 1680mm wide, back stop maximum depth 1600mm; Condition - fully programmable, with digital display. With 2 x Baumann pallet lifter.Good machine build, One spare blade; Reason for sale - owner has another machine good condition; no known damage; code 1	P.O.A
25540	Wolenberg 150; Spare blade,some tools, Microcut program ,Air bed,No manuals ,1 spare blade. Side table, 1 laminex plus 1 steel.Currently in production. Code 1	P.O.A

## Label Presses & Accessories

25730	Aquaflex LWSP 1656, 1992; Web Width: 420mm or 16", Montalvo Unwind Tension Control,Softal Corona Treater Model No. is LWSP 1656,De-Curler & Sheeting Table Turn Bar,6 units with IST UV lamps, 2 units with "alternate" UV lamps,3 Die cutting units + 1 unit used for backslitting/computer punching,1 shaft used for Laminate unwind,2 shafts which can be used for matrix rewind ,Tectonic viewer and camera,Crush cutting wheels for slitting,Dual rewinding capabilities,1x94 tooth sheeter/perfer,1x96 tooth sheeter/perfer,1x128 tooth sheeter/perfer,Magnetic die cutting cylinders-1x144, 1x128, 1x116, 1x108, 2x104, 1x97, 1x96, 2x94, 2x84, 1x88,Print Cylinders-7x144, 7x128, 7x116, 14x108, 12x104, 7x97, 15x96, 7x94, 13x88, 12x84, 6x64,20 Anilox rollers Approximately 10 various sized solid rotary dies,Machine comes with crane which is attached to the machine, used to lift the magnetic die cylinders in and out. Available Now. Code 1.	P.O.A
22562	Auto Punch Diecutter, 1987; Punch & die. Can do Blank labels, Adhesive labels. Laminating Pouches. paper & cardboard blanks, vinyl plates. There is no rotary die and machine does not have magnetic rollers. 125 mm web width. 1x 54 x 87, 65 x 95mm & 60 x 95mm. Pneumatic & Electric. Single Phase. Made in USA. Makes individual labels not roll. ON OUR FLOOR. On offer. Code 1 a	P.O.A

## CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Machine Id	Details	Selling Price
24920	B Bunch Fanfolder 317, 1998; Produces 20" wide rolls. Reel stand to accommodate 50" diameter rolls. Electronic register control unit, bunch 4 stream ticket folder - two folder heads, min fold depth 5" maximum. Max fold depth 14". Machine was completely refurbished in 2008 with new parts and equipment to do perforation etc. Extra \$21,000 AUD spent on refurbishment. Electrical engineers redesigned, constructed and tested a register system to replace the EMP 2500; Currently no known damage; Good working condition; Code 1.	P.O.A
25795	Gallus 160 F, 1989; FLYING SPLICE ON INFEED,AUTO TURRET ON OUTFEED,FOUR COLOUR CENTRAL IMPRESSION PLUS TWO SATELLITE COLOURS,WATER BASED INK,HOLE PUNCH FLAT BED DIE,STANDARD FLAT BED DIE,2 FORWARD DIE,1 REVERSE DIE,Available Now. Code 1.	P.O.A
23768	GEW MD1 25 A3; 211 hours. Original lamps. Excellent Condition. Working Condition. Includes spare lamps. Code 1b.	P.O.A
23494	GEW NA 35 1, 2000; 15" UV Light , includes one globe, stand alone unit, with cooling fan.Manufactured in Oct 2000, virtually brand new, hardly used. Was used with a Mark Andy On Our Floor. Code 1	P.O.A
25261	Guangzhou Keshenglong KYS Series, 2007; 2 Colour Automatic High Speed Flexo Printer & Die Cutter for cardboard. Nearly new. Used 19 times. Die Cutting rotary unit not been used. 0 - 120 sheets/minutes Max Sheet size 2800 x 1200 mm ; Max Skip size 2800 x 1500 mm Minimum sheet size 320 x 650 mm Max Board thickness 12mm Printing plate thickness 4.9mm Effective printing range 2800 x 1200mm Machine tracks accommodates 4 colors. Stacker included. Machine in operation. Used only 19 times as contract went offshore. Code 1.	P.O.A
24069	Iwasaki RU50, 1987; Semi-rotary; 3/4 COLOURS, servo feed of genuine Iwasaki 1996 machine, converted in 1996, semi rotary, rewind sheeter,Max. Paper width: 260mm Printing dimension: 480mm x 250mm, 3color printing face: 250mm x 150mm included UV roller and accessories. 4color printing face: 250mm x 110mm included UV roller and accessories. Flat-bed Die-cutting station: Max. size: 250mm x 200mm included upper chase & lower chase. Max. Speed: 65 ~ 150rpm Installed 2003: New Japan Servo Motor Feed unit system, Max. feeding length: 230mm and digital setting panel with registration accuracy) 2nd pass register facility with Sensor scanner system Lamination unit. U.V Curing system 1set(Korea Made) Unwinder Machine size: 3800x2200x1650mm between print and Die-Cutting station(Note: Interchangeable with Lamination roller),with Yositani A4 plate maker and 200 flatbed dies, Net weight: 3600kg, Main Power:240V/3phase/50/60H/Machine:6.3kw/UV cure: 3.6kw Used Auto Sheet Cutter 1set, In Production, in good working order; Can be inspected. code 1.	P.O.A
24903	Kopack 170, 1985; 5 colour, UV label machine-3 UV stations, the first UV is after the third letterpress station. The second is after the fourth letterpress station.The third UV. Unit is after the fifth letterpress print unit. Includes assortment of tooling - 6 rotary magnetic die cylinders, many flatbed & flexible dies.1 x flatbed die station & two rotary die stations. Counter that counts metres & labels, with auto stop. Machine has a foot jogger and a button for jogging the machine. Web guide is manual, & machine comes with various tension controls. (unwind, rewind & waste rewind.This machine is currently being used, doing 4 colour process work & sprocket (computer labels). Machine includes 3 new spare lamps, also a few spare rubber rollers. Plate cylinders ( 67 tooth x 5, 78 tooth x 5, 83 tooth x 5, 86 tooth x 5, 96 tooth x 5, 98 tooth x 5), 1 x sprocket punch, 6 mag die cylinders (78 tooth, 83 tooth, 86 tooth, 2 x 96 tooth, 92 tooth) 12 flat-bed die gears . A large range of flat-bed dies & some flexible knives. manual and electrical drawings; working condition; Available Now. Videos available on request. Code 1	P.O.A
22705	Kopack 250 Super, 1990; 9 Colours. 8 Letterpress working plus 1 Flexo. 250mm web width. Web Guide. All UV drying. Additional accessories: Comes with a lot of tooling.has a 1000mm CI drum, 2 rotary die stations 1 x flat bed, cylinder for sheeting.Also there are a large number of flatbed knives. Currently in operation. Available NOW Code 1	P.O.A
25672	Mark Andy 830 10 E, 2003; standard machine , 3 colour, working condition , 2,295 hours. 10" web with 3 colour stations (3 heaters), 3 die cutting stations, 2 overhead waste rewinds, 40mm and 76mm finished roll mandrels. It comes with a sheeter that can be detached. Code 1	P.O.A
25303	Mark Andy 910, 1985; 250mm (10") Web 4 flexo print stations on a constant impression cylinder ; Hot air drying (12kw); 3 die stations for top & bottom die cutting ; 2 rewinds ; A4/A5 sheeter unit and conveyor; Inline razor slitting; Automatic webguide ;Auto plate throuoff ; Constant turning aniloxes ; Dual counters 8320 hours on the counter; Air assisted mandrils; Laminated facility ; All 4 print stations are operational, however the No. 1 anilox motor needs a rewind. 1/8TH pitch. Technical Support Manuals & spare parts; Good working order and currently in use. 7 Rotometrics ; Magnetic Die Cylinders (72, 80, 84, 88, 92, 94, 96 gear) 31 Print Cylinders: 4 x 72 gear 4 x 80 gear 3 x 84 gear 4 x 94 gear 4 x 96 gear 4 x 104 gear 4 x 120 gear 4 x 66 gear ; NO FLEXIBLE DIES. Good working condition; No known damage. Code 2	P.O.A
22731	Markem 195, 1986; Hotfoil/die cut machine all electrics renewed in 2001 - approx \$20,000 was spent 2-3 years ago. Does 3,000 strokes per hour. The machine has 1 print head and 1 cutting head, 195mm in width. The machine has flatbed diecutting with an infinite pull length/repeat, which is determined by a servo computer controller. Label sizes - max print area 100mm x 100mm, max die cut 100mm x 100mm, max stock feed length 110mm, production rates 195 and 195RR, approx. 80 labels per minute, core inside diameter variable 70 to (2 3/4"- 3") - 75mm, max width of materials 115mm (4 1/2"), max diameter label 350mm (13 3/4"), core inside diameter 25mm, max diameter of foil 135 mm, 240V single phase 50 Hz neutral and earth 0.55 KW. Operators Manual. On Our Floor. ON OFFER. VIDEO <a href="http://www.youtube.com/watch?v=5-UkAe0Dwh8">http://www.youtube.com/watch?v=5-UkAe0Dwh8</a> . CODE 1	P.O.A

## CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Machine Id	Details	Selling Price
24732	Nordson 3900 Multi Scan, 1999; metered adhesive application hotmelt system, works inline with letterpress, delivers precise adhesive deposition by combining the accuracy of a metering gear pump with an adjustable-speed AC drive - increased adhesive cost efficiencies; engineered to apply high-viscosity, hard to handle adhesives and sealants; maintains constant system pressure and pump RPM whether gun is on or off; Timer signals value to direct material back to unit reservoir, eliminates adhesive shearing and degradation and reduces pressure spikes for accurate bead deposition of +-percent; efficient grid-melter design shortens time adhesive kept at application temperature; adjustable-speed AC drive; RPM readout; easy access to adhesive hopper and locable MicroSet MultiScan Control input/output control panel ; Board allows remote activation of pump functions and communication with the production line; seven-day clock automates system startup and shutdown to coincide with production schedules. Features include: system-ready delay (parent-machine interlock), Digital display of pump RPM, RTD - resistance temperature detector sensing, temperature setback, individual grid and reservoir castings, specially coated gear pump, . Holding Capacity/Volume - 70 lb/31.8 kg/1989 cubic in (32.8L) ; system melt rate - 100 lb/hr (45.5 kg/hr); Maximum pumping rate - 67 lb/hr (30.4 kg/hr) (3.47 cc/rev) ; temp range : 160 degree - 450 degree F (70-230 degree centigrade) ; Electrical - 200 - 240 VAC, 50/60 Hz, 230-400 VAC 50/60 Hz; Max system power capacity - 230 VAC 9098 W (28A) with 1 hose/gun; weight - 340 lb /154.2 kg) without optional base; good working condition ; no damage to machine; Code 1	P.O.A
25745	Onda 150; standard machine Available Now, Code 1.	P.O.A
25689	Onda 150, 1987; 3 Colours,uv drying + rewinder, new uv lamp plenty of spares	P.O.A
23414	Rapid CSR 330, 1997; The CSR 250/330 high speed slitter rewinder is a tension controlled slitter strobe retro fitted available with either a single spindle, dual spindle or turret type rewinder. They come standard with web guiding and tension controlled rewinds. The rewind tension is controlled by a unique pneumatic clutch and radius computer combination allowing very accurate tension control on the run. Perfect condition. Code 1A.	P.O.A
25521	Sanjo Grey, 1983; Package deal of 3 sanjo machines 4 colours plus flexo varnish ; all three Sanjo's are slightly different; 200mm web width; The grey sanjo was built in 1983, & has 4 letterpress print units around the print drum, & has a satellite flexo varnish unit. The machine has two rotary die stations, it also has three uv lamps stations. The tall green sanjo also has four letterpress print units & a flexo satellite varnish unit. 2nd machine was manufactured in 1981; This machine also has two rotary die stations & a flatbed die cutting station. There are also three UV lamps, but conveniently has a sheeter fitted onto it when needed. This machine has nip rollers, so you can laminate. The third sanjo was manufactured in 1980, has four letterpress print units & you can dry laminate. There are two rotary die station & a flatbed die station. This machine has two UV.lamps stations; Includes spare rollers;over 500 flatbed & rotary dies to go with them. Many magnetic die cylinders also; All of the above machines mentioned, are currently in production; If the situation arises where a buyer is only looking at one or two of the machines, we would consider this option. All in working condition; There is a sheeter that can fit on all 3 Sanjo's. code 1	P.O.A
25287	Sanki 5 L 220, 1975; 5 Colour, 220mm web width, Rotary Letterpress with UV, Comes with a Range of Dies and Cylinders, 1X Rotary Die and One Flatbed Die. Extra Colour Added after market. Available Now. Code 1.	P.O.A
22732	Shiki PC30, 1978; Web: 180mm, flatbed, goldfoil / laminator, u.v slitter/rewinder (custom made). Can be seen in operation, 1-4 colour. It has got sets of rollers, ink ducts and sets of blades for 2, 3 and 4 colour. On Our Floor.	P.O.A
25744	Shiki PC45; UV Letterpress machine (up to 4 colours), Available Now, Code 1.	P.O.A

## Laminators/Coaters

7021	Autobond AFD 76, 1988; Running: Glue wet-running and Thermal; Does A1 Size; with auto-feeder at the back - can load on 2000 sheets at a time; min sheet size: 200x300; max sheet size 720 x 1020 mm; good working condition. Code 1	P.O.A
24632	Autobond SD76, 1988; Glue Laminator and Sheeter ; Maximum Sheet size – 760mm x 1030mm ; Minimum Sheet size – 200mm x 200mm ; Maximum Variable speed – 45 Metres per min ; Paper/board range – 80gm2 – 500 microns ; Electrical – 3 phase 20 amps ; Weight – 850kg (Laminator); Sheeter Model - SM 76 ; ?? Feeder is a rotary suction drum, similar to an old Stahl folder. The stock is hand loaded in the same as you would a cover feed on a binding line. the sheeter is automatic and also inline to the laminator no AUTOMATIC DELIVERY- the sheets deliver out of the sheeter normally into a jogger table. (Not supplied) good working condition; code 1	P.O.A
24417	Autobond SD76 5076, 1988; Running: Glue Wet-running; Does A1 size; handfeeder; Min sheet size:130x225; Max Sheet Size 720x1020; Can load and do 300 sheets with suction from under; ; 440 Volts; automatic feeder then runs to wheel then wheel to automatic sheeter . Good working condition. Code 1	P.O.A
24418	Autobond Sheetmaster 76 SM76; Separator that can go with either the Autobond AFD 76 or smaller model Autobond SD76; 240 Volts; Includes rollers and electric stacker table.	P.O.A
24525	Billhoyer MFK-76, 1985; Laminator.Maximum sheet size 760 x 1050, Minimum sheet size 220 x . Automatic B.A.T sheet separator. Maybeg automatic feeder.Water base adhesive. Includes one week training on operation of machine for an Australian Sale. Available Now Code 1	P.O.A
25286	Guangzhou Keshenglong ZBJ, 2002; Good working condition. Hardly used. Puts glue on two pieces of cardboard. code 1	P.O.A

## CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Machine Id	Details	Selling Price
24040	Hock 120 HLA, 1995; Thermal; Film to paper lamination - sheetfed, typically polypropylene film to offset print. Max. sheet size - 1020 mm x 720 mm, min. sheet size - 455 mm x 320 mm. Suitable for precoated thermal films, complete with preload on stream auto-feeder. Auto De-sheeter, Thermal film unwind. The machine is being used for Film Lamination-servicing printers with sheet offset. Current in regular use; Machine had been refurbished and money spent to convert to be like autobond machine; Great for packaging and long-runs; lot more set-up; High quality mirror finish job; no known damage; Code 1	P.O.A
10232	Matsumoto LW18 2, 1988; In Production. Auto Film Laminator with Kudo Ace 1000 Type 3. Jogging table, Toho Powder Spray, Sheet Counter and Pet and Knife Cutter. The machine has Gas Drying with Electric Heaters. Code1A	P.O.A
25062	Paperplast Dry 70, 2007; Paperplast Dry 70 Thermal Laminating Machine; Machine Type: 102 ; 2 sided film lamination in one pass with 2 laminating stations.; Max sheet size 1020 x 1140mm Min 250 x 280mm at speed 70m per min ; purchased new; one owner and has done little work and is in almost new condition. machine can be seen running	P.O.A
8592	Steinemann UVIMAT 1208, 1982; In Production. UV COATER All over coating.Max sheet size 1600 x 1260, 1 x UV.2 x Infra Red Drying Stations with Ven fans; UV 4 Lamp Dring. .Can do paper and solid cardboard. Corrugated board comes through with some compression. Speed varies on Sheet size, however, if Printing on A1 3500-4000 sheets per hour. No roller Coater. No Spot UV Capabilities. Mirus Pallet Sheet feeder Type. Corona Discharge Unit, Calendring Roller Unit. 6 Module Control Console; operators Platform; 16 M x 1950 MM x 530 MM. Floor Space: 17m in length and approx 3m in width.Video can be seen <a href="http://www.asnewprint.com.au/8592/">http://www.asnewprint.com.au/8592/</a> .The machine is still in production. Code 1B	P.O.A

## Numbering Boxes

24574	AB Dick xx; 2 x straight backward \$100 each, 1 x straight forward \$100each. AVAILABLE NOW. ON OUR FLOOR.	P.O.A
2637	AM International Multi 1250; Numbering Ring Plus Two Numbering Boxes - 150 Each. Numbering Ring - \$100.	P.O.A
24571	Fuji 52; 22" 1 x convex forward \$200 EACH 1 x straight backward \$200 EACH. ON OUR FLOOR. AVAILABLE NOW.	P.O.A
24567	Hamada 700; To suit Hamada 700: 1 x Convex Backward Skip 2 \$150 each, 1 x Convex forward Skip 2 \$150 each, 1 x straight backward \$150each, 3 x straight forward skip 2 \$150 each, 6 x straight backward skip 2 \$150 each, 2 x straight backward skip 4 \$150. ON OUR FLOOR. AVAILABLE NOW.	P.O.A
24562	Heidelberg GTO 46 52; Leibinger GTO Specialised Boxes 2 x straight forward 6 wheels with space . These when used would read 12 4567 with a space between the second and third digit.Price \$200 each ON OUR FLOOR.	P.O.A
24560	Heidelberg GTO 46 52; Herben GTO Specialised Boxes: 2 x straight forward 8 wheels. These when used would read similar to 1 8452671 with a space between the first digit and the second.Price AUD \$200 each .ON OUR FLOOR	P.O.A
24559	Heidelberg GTO 46 or 52; To suit Heidelberg GTO46 OR 52. ON OUR FLOOR. AVAILABLE NOW. ZACARES 1 x Straight forward \$200 each, 1 x straight backward \$200 each, LEIBINGER GTO 10 x straight backward \$200 each, 3 x convex forward \$200 each, 6 x convex backward \$200 each, 5 x straight forward \$200 each ATLANTIC 5 x straight backward \$200 each, 1 x convex forward \$200 each, 1 x convex backward \$200 each, AMERICAN 1 x convex forward skip 2 \$200 each	P.O.A
24563	Heidelberg MO; To suit Heidelberg MO: LEIBINGER 5 x straight backward \$250 each, 8 x convex forward \$250 each, 7 x convex backward \$250 each; 6 x straight forward; Atlantic 1 x convex backward; 1 x straight backward ; on our floor; code 1	P.O.A
24577	Heidelberg Platten; Numbering Boxes to suit T Platten or GT Platten. Can also be used on Heidelberg S series or K series cylinders. 5 x Forward \$150 each. 22 x backward \$150 each. 3 x backward skip 3 \$150 each. 2 x backward skip 5 \$150 each. 3 x forward skip 2 \$150 each. 2 x forward skip 3 \$150 each. 1 x forward skip 4 \$150 each. ON OUR FLOOR. AVAILABLE NOW.	P.O.A
24570	Itek xx; 1 x straight backward skip 2 \$100 each	P.O.A
24568	Roland Praktika; To suit Roland Praktika: 3 x straight backward \$200 each, 3 x straight backward skip 4 \$200 each, 3 x straight backward skip 5 \$200 each. ON OUR FLOOR. AVAILABLE NOW.	P.O.A
5898	Rollem xx; Perforating Rings x 9 for Heidelberg K SERIES MACHINES \$150 each	P.O.A
24572	Ryobi 500; 18.8" 1 x convex backward \$100 each. ON OUR FLOOR AVAILABLE NOW.	P.O.A
24565	Ryobi 500 KNP; 17" 2 x Convex Backward \$100 each, 2 x convex forward \$100 each, 8 x straight backward \$100 each, 7 x straight forward \$100 each, 1 x convex backward skip 4 \$100 each. ON OUR FLOOR	P.O.A
3380	Ryobi x; 1 numbering ring, 5 units Straight Backwards, Imprint numbering block, 95 mm. Good condition. ON OUR FLOOR	P.O.A
24569	Uchida xx; 5 x straight backward \$200 each, 4 x straight forward \$200 each, 4 x convex forward \$200 each. ON OUR FLOOR AVAILABLE NOW.	P.O.A

## Other Equipment

25591	Australian Pallet; Scales to weigh up to 600 kgs	P.O.A
-------	--	-------

## CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Machine Id	Details	Selling Price
25534	Australian Universal Racking; 4 x uprights at 3.7m high and 16 crossbars,5 x uprights at 3m high and 26 x crossbeams, x uprights at 2.7m high, 1 x upright at 2.4m high and 1 upright at 2.1m high , 6 x crossbars at 2.6m long and 12 x crossbars at 2.8 m long. \$150 each upright and \$30 each cross bar.  3 x uprights at 2.4 m high	P.O.A
4763	Australian Made Blanket Barring, 2007; Brand New Blanket Barring Machine. Manual operated. Include : Bar Press [1.6m wide, 20 tonne pressure, 2 1/2HP Motor & Power Pak], Glue Gun [air operated] and Mixer Dispenser [air operated]. Code 1	P.O.A
24524	Australian Made Embossing Machine, 1996; Reel to Reel embos,Sheet to Reel embossin,Plain paper or Plastic Laminated SHEET,130gsm up to 350gs ,3 x patter, 240volt single phase powe650 x 910 sheet 650mm wide,it can emboss all over pattern (3 styles) through a paper /board for book jackets. Available Now. Code 1	P.O.A
2951	Australian Made xx, 2001; Blanket Cutting Machine, Rotary Knife, 1600mm Width with Volvo Motor With Self Sharpening System. Semi auto. Code 1	P.O.A
24584	Brewer UV Drier + Stacker; 2x300 Watts per inch lamps with refrigerated air cooling chamber directly after curing. Will take up to a 650mm wide sheet; Can alter angle at feeder edge. Would ideally suit someone wanting to get into printing on synthetics. Owner had it connected to a 2 colour Heidleberg SORKZ.(650X480 sheet size); inclusive of all manuals + all roof ducting; good working condition; surplus to owner's requirement; dismantled and ready for shipping; code 2	P.O.A
22485	Cascade Kraftsmaster Paper Roll Clamp; Model RK 12D 1 x Reel grab for Foklift, 1050 MM MAX ROLL DIA, width of roll, Can pick up 1200 kgs . Can fit onto 1.5 to 2.5 tonne Forklift. Can go onto any fork Code 1	P.O.A
25091	ERA A4; A4 verco unit; variable speed conveyor; code 1	P.O.A
25779	Graphic Wizard GW8000E; Numbering Unit, numbering and perf unit , friction feed with a job memory program (up to 100 jobs) and a electronic batch counter,2 x plunger style numbering blocks and 1 perf/scoring arm it can do oversize A3 vailable Now. Code 1.	P.O.A
25486	Heidelberg GTO 52; NUMBERING UNIT & PLATE PUNCH FOR GTO 52. Working condition Code 2	P.O.A
25291	Herless lathe, 1980; 40" working conditon Code 1	P.O.A
24438	MTA CE211, 2006; 17 KW Chiller - new, unused; never installed; in good working condition. Bought new in 2007 by owner to chill ink rollers on offset press (when they bought brand new printing press) Code 1.	P.O.A
25590	Southworth USA Standard; standard Perforator working condition ON OUR FLOOR	P.O.A
25653	wedderburn DS-260 Series pallet scales; pallet scales ; 600kg capacity ; code 1	P.O.A

## Packaging

25498	DCM Paris IM2 76 20, 2005; TWO UNITS. 2005 AND 2007 ; Carton printer which is like new,the unit prints two colours one side then flips the corrugated carton over and flexo prints the other side ,it is manual feed and a fast unit,ideal for wine cartons confectionary. prints corrugated cartons, Owner bought it for a cake maker but now doing some wine carton prints for small wineries ,it will handle large and small volumes and requires one operator .Owner purchased both units new the first in 2005 then the second including the flip device in 2007,it has probably had running hours of less than 300 since new. Video is available; Code 1	P.O.A
24212	Emmendenger Capsule Maker, 2000; Suitable for wine PVC caps or Olive oil caps or similar tamper evident closure., it's done less than 4000 hrs work. Highly spec'd to allow a wide functionality including perforations – tear tabs, foiling and embossing. Operating a speed approx 150pcs/min. Manuals. Code 2	P.O.A
24877	Komori Chambone, 1985; Rotagravure, 8 colours, 8 printing units, inline diecutting, used for carton printing; flat bed platen max 720mm web width. 705mm in platen; 850mm cylinder repeat; Platen 705mm; across the web; 650mm repeat ; Gear ratios apply; e.g. 1:1, 2:1 or 3:2. - gears are available; Minimum Size - 445mm web width ; 325 mm repeat ; Monomatic reel stand with two stations to allow for Flying splices; Eltromat DCG650; electronic register ; Embossing station; 64 impression rollers; Integrated fire system ; 2 units capable of reverse printing ; It will not run low gauge films; electric drying ;Dimensions in current layout would fit into a footprint of 35m x 8m wide x 3m high; weight around 150 tonnes.Additional equipment available: 2 x Tidland expandable shafts 300mm diameter; 16 cylinder carriages, ink tanks, pumps and and doctor blade holders 20 knife chases; 8 stripping rollers, already drilled 4 new top stripping rubber rollers; It is still connected to power.Regularly powering it up to perform maintenance checks. Condition good, owners ran a live job without problem in August 2020; no known damage code 1	P.O.A
25801	Longford CF 100; Package Deal of 3 machines, Greeting Card Folders; all models are CF 100, it comes with conveyors and lifters stackerAvailable Now. Code 1	P.O.A
23096	Paldisc Lo-Wrapper; Capacity 2000kg. Single-phase machine. Dimensions: 2.5 x 1.5 metres. Code 1A.	P.O.A
10235	Wen Chyuan KYE 3B, 1994; Good Condition. Automatic Endless Calender Macgube with Feeder KYC 3 6. Gas Machine. Code 1B	P.O.A

## Pre Press Cameras & Accessories

22514	Agfa Repromaster 1600; Camera in good working condition; code 2	P.O.A
3647	Eskofot Ultragen; 150mm. Camera lens	P.O.A
3645	Kokoma xx; 36cm x 34cm, Filter For Cromalin Machines.	P.O.A

## CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Machine Id	Details	Selling Price
3646	Nikkar xx; 480, 305, 500 mm. \$400 / \$200 / \$500. camera lens	P.O.A
3648	Rodenstock xx; 270mm. Camera lens	P.O.A
3650	Schneider xx; 240mm. Camera lens	P.O.A

## Pre Press CTP and Plate Makers

25754	Cobalt 4, 2007; A2, CTP platesetter Harlequin RIP, 2007, images up to 615mm x 745mm (approx. 15 plates per hour).In daily use, can be seen anytime.with Agfa LP68 Plate processor and Epson Stylus PRO 4800 proofer Code 1	P.O.A
25512	Horsell Graphics Saturn RG 850, 1996; saturn Plate baking line, in working condition, available now. Code 1	P.O.A
24975	Kodak Creo Scitex Lotem 800, 2001; Exposure imaging system; Max sheet format 1030 x 790 mm ; Metal Plate size 400 x 510 mm (GTO 52) - max. Plate size 905 x 1130 mm - material thickness 0.15-0.3 mm Includes Glunz & Junsen 135 HD Interplater Processor and Plate stacker;Can handle variable resolution of 3556 DPI.Dual plate feeder; 2 cassette online plateloader; Tiff catcher (internal in the engine) Equipment Good working condition; had an upgrade 2009 to 22 plates per hr .can handle A3/A2 & A1 PLATES. Code 1	P.O.A
25772	Screen PTR 4100, 2005; Screen PTR 4100 plate setting system CTP recorder unit, versatile format size (Max 830 mm by 660mm, min. 324 by 370mm) 10 plates per hour at 2400 dpi, PTR4100 processor conveyor, Plate processor: Thermal A2 plate processor, high throughoput speed, 850mm max material width, microprocesor controlled, and includes plate stacker. Software is Screen TrueFlowRite system, with RIP and 10 user licence. Code 1	P.O.A

## Pre Press Digital Printer

23983	Hewlett Packard Indigo E Print 1000, 1998; Fully Refurbished in 2003, In excellent operating condition, fully maintained with HP Service Contract. Printed Image Size: 308 x 437mm (Max),Paper Size: 320 x 464mm (Max),Throughput 2,000 4-colour A4 size images per hour,Resolution: 812dpi,HP High Definition Imaging 175lpi screen ,HP Indigo ugraded "Yours Truly" Designer Monochrome/Colour Personalisation and Smartstream program comes with it,Network 100Base-T,HP Indigo IPTech RIP; Adobe PostScript 3, Processor/OS: Pentium 4 CPU with Windows NT,Peripherals: 15" LCD monitor, keyboard & mouse,CD-Rom Burner,Floppy Drive,Power requirements – 3-Phase. Great for "barcode" jobs Code 1 B	P.O.A
25688	Kodak Digimaster BW 9110, 2000; 49 Million Impressions, 6 Draw Input (4 x A3 draws),Finishing: top exit/stapler/stacker,Stacker: Capacity up to 5,000 sheets,Receiver: Wheeled tote tray,Resolution: 600dpi,Speed: approx 6,500 A4 sheets per hour,Operator Interface: Touch screen or mouse, GOOD working condition Code 1	P.O.A
25626	Xerox 510, 2006; Wide Format Printer and Scanner; prints black and white; has hardly been used and is in very good condition. The printer prints from A1 to AO and has 4 rolls of unused paper; uses powder ink; no known damage. Full service records are available. Serviced yearly for 3 years - last serviced around September 2010; Code 1	P.O.A

## Pre Press Film Processors

23040	Glunz Jensen PM5500, 1993; Film Processor,Working Condition. Processor is a darkroom machine.A3+ size ON OUR FLOOR CODE 1A	P.O.A
25453	Payne XLK6; Exposure System; A 1 size; comes with curtain; good working condition. No known damage. Code 1	P.O.A

## Pre Press Imagesetters

25482	Agfa Accuset 800 PLUS, 2000; Filmsetter and processor, A2,working condition, with APOGEE pdf RIP PC based software, separate plate punch, with Devotech 51 Film Processor. MANUALS Code 1	P.O.A
25722	Agfa Avantra E25; Rip is Apogee PDF Series 3. The unit was sold and serviced by Agfa.All disks and manuals are with machine. imagesetter with Stoesser punching.Available Now. Code 1	P.O.A
25422	Agfa select set avantra 30, 1996; ApogeeX RIP V1.2.4 on a Dell PC server (2.9G), .This allows you to view the RIPPED files before you send them to film through a browser interface (Mac and PC clients). It is a hot folder based workflow. The machine is 3600 DPI but we run it at 2400 dpi.With film processor. Working condition.Available Now. Code 1A.	P.O.A
24801	Panther A3; A3 size in great condition; Dupont Easy compact 40 film processor, Version release 6 ; code 1	P.O.A
24766	Scitex Dolev 400, 1997; Imagesetters (1 complete and I for spare parts) with IBM PS2 Rip level 2 software . Imaging area of 644x499mm. Rip has Full Auto Framing (FAF) to set automatic trapping (spreads & chokes) and black text overprint. Can handle polyester plates.Other advanced features include ripped file colour conversion, especially useful for changing RGB interpreted blacks to CMYK values. Rip previews both postscript and ripped files; good condition, plus two feed cartridges and two take up cartridges and in line punch. Film processor old but works in manual mode and produces good quality unmarked film. PC for downloading files in working condition; DuPont bridge available but owner never used it (he bought it in working condition);Manual in good condition. Available Now. Code 1B	P.O.A

## Pre Press Miscellaneous

### CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Machine Id	Details	Selling Price
24824	Dainippon PC 202 AG BG, 1987; fully Automatic Horizontal STEP AND REPEAT MACHINE.; used for stepping a one up film onto plates as many times across & down as will fit into the specs.; Has Halogen Lamp Light source box, Original Copy Board, Emergency Stop Switch; Photosens Mounting; Main control Panel and Sub-panel, Power Source Circuit Breaker; optional Punch card command Unit; BG has Metal Halide Light Source Lamp Housing/original supply Table Pin/air regulator / X axis rail / Y Axis Rail / Y Axis Drive Motor / X Axis Drive Motor; 100 V ; 0.75 kw; 10.9A; Frequency - 50/60 Hz; machine has only ever been used for a max of 4 hours per day, it is in very good condition & comes with 2 spare frames; good working condition. code 2	P.O.A
23570	Duarte SII 228P; Plate punch to suit Komori SII 228P, Duarte, Manual Punch, can be inspected. On our Floor Code 1	P.O.A
23352	Heidelberg Punches; 2 punches, 1 large-heidelberg & 1- billows small, Available December 2010 Code 1	P.O.A
24964	Itek 615S, 1972; all intact, no known missing parts; Still in production till mid April. One owner bought new; working condition.ON OUR FLOOR Code 1	P.O.A
23506	Itoh Plate Punch TP-30; TP-30 Plate Punch, A4 Sheet Size. ON OUR FLOOR Code 1	P.O.A
24811	Orbit orbit A2; A2 table top plate punch code1	P.O.A
25077	Ryobi 3302; RP 22 plate punch to suit Ryobi 3302 and Itek 3985.Available now. Code 1.	P.O.A
23801	Tarng Yun Optical Plate Punch, 2007; It is set up for Bacher (425mm ALSO used it for our GTO52) and KPS (Komori Pin System – 26/28.) Code 1	P.O.A
22956	Tarng Yun Optical Plate Punch TY100-C, 2006; Optical Plate Punch, Excellent Condition. Suits GTO - SM74, newmatic punch, 425 millimeter punch. Code 1b	P.O.A

## Screen Printing Machines

24753	Advance Centurion, 1989; 10 colour large format (up 1050X800, with 1050 X1000 5 colour capacity) textile print machine; brand new touch screen control and brain ; 160,000 impressions; All heads are electro-servo, so this is a truly top specced unit. would be ideal for a multiple UV sheet printer (main alternative application in the US to fashion panels and t-shirts etc); good working condition; complete, no damage; code 1	P.O.A
24133	Natgraph M 130 2LBR, 2006; UV Bridge Drier ; 1300 wide. As new. Twin lamps. Latest cool curing technology. Purchased new, 2006. Only had 3100 hours use. It is a bridge unit, designed to be installed over the out feed from a press. Available Now. Code 2	P.O.A
24135	Sakurai Cylinder Press, 1987; SAKURAI Cylinder Press. 1100x800 print size. Good. Squeegees, Flood bars & Scrapers included. Dimensions: 2650x1950x1450. (LxWxH). Does not include a dryer but for additional cost, Natgraph which is a UV curing unit can be added. It is a bridge unit, designed to be installed over the out feed from a press. Code 2	P.O.A
24164	Svecia Print Master Press, 1984; 1020x760 print size. Rear discharge to drier. 3 Phase, 14 amp.Fully reconditioned, 2006.Squeegees, Flood bars & Scrapers included.Dimensions: 3200x2000x1400. LxWxH, Excellent Condition. Available Now. Code 2.	P.O.A

## Shrinkwrapper

25437	Beck PACKOUTOMATEN; BECK PACKOUTOMATEN TYPE S17-32, Shrink Tunnel. Fully auto, Working condition Code 1	P.O.A
23531	Kallfass Pack Jat 3000, 1989; max length: 415, max width:230mm, 7kw voltage, 50Hz frequency. Available only after Jan 2011; Code 1	P.O.A
23278	Minipack Shrink Wrapper A2; A2 shrink wrapper, Code 2.	P.O.A

## Slitter/ Rewinder/Sheeters

25718	1800mm Wide Slitter Rewinder; 14 shear slitting knife assembly.. Slits with variable width - pneumatic rewinding shafts OD = 50mm & 76mm, two unwind stands, unwind OD upto 1.2m, fixed length perforation,Drive - 3 phase 2.2KW eddy current motor,proximity switch, counter with automatic cutoff. Year & Model Unknown, Available Now. Code 1	P.O.A
25746	Arpeco Tracker Slitter; Approximately 600 catalogued dies, Available Now. Code 1.	P.O.A
22418	Benison Slitter Duplex Slitter BJK 300 P, 1999; Working Condiiton. 1000mm Max working width. Suplex Slitter. Razor slitting in grooved roller. Trim Fan. Edge Guide. Unwind and rewind tension control. 3 Phase Power. Unwind width: 620mm. Unwind diameter: 450mm. Rewind Width: 50-300mm, Rewind Diameter: 700mm, Inside Core: 3". Machine runs at 200m / minute. Good working condition; one owner; Code 1A.	P.O.A

## CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Machine Id	Details	Selling Price
24144	Green Machine Company USA The Green Machine, 2002; Made in Florida, USA; Raising Machine together with Card slitter. Owner used machines with their GTO46 but can be wheeled to press against end of any offset printer; used mainly to print textured raised business cards on A4/A3 size paper and then slitted.. The Raised (Thermographic) printing unit is totally portable and can be set up at the end of the press to accept the wet printed sheets. The unit disperses the raising powder onto the printed sheet, and the powder adheres to the wet printed surfaces with the excess being vacuummed away prior to entering the heating unit. The heating unit melts the raising powder and raises the printed area and finally passes through an ultraviolet unit which cools and decurls the sheet. As the printed area is now raised, the sheet cannot be trimmed using a convential guillotine as the pressure would flatten the raised print. The sheet must then be trimmed in the slitter unit to the final size required. In good working condition; The Verco unit approx. 180cm long x 100cm wide x 150 cm high and would weigh approx 350Kg; The slitter approx. 150 long x 100cm wide x 130cm high and weigh approx 300Kg ; Code 1	P.O.A
22909	Ivmar x, 2004; Sheeter, back/front slitting,(3 phase ) one meter wide, unwind unit controlled by photo optic sensor(single phase -240 volts ). Type of knife - top and bottom flying rotary slitting knife;Can handle range of paper slit and sheet: min gsm: 60 to 80 gsm and max:350 gsm. Sheet sizes can be varied from the control panel. Operating speed (meters per minute) depends on sheet size, the longer sheets are slower. Your sample material can be brought over to test machine. Machine was designed for label stock. ON OUR FLOOR.Code 1	P.O.A
25543	Javelin 1020, 2010; Brand new unused rewinder - Suitable for all types of Paper, Film, Foils, Fabrics & Laminates including Pressure Sensitive Tapes, roll width up to max. 1.6 metres unwind (1600mm or 63") max diameter 660 mm or 26"; unwind weight 273 kgs or 600 lbs; Rewind - max width 1600mm (63") , rewind max diameter 330mm (13"); Mechanical Braking System; Cast Core Chucks to Fit 3"(76mm) ; Standard Unwind Shaft to accept 3" I/D cores; Rubber covered adjustable Spreader Roller Mechanical Web Alignment system; Single Standard Rewind Airshaft to accept 3" I/D cores; rewind - Digital Length Counter with Auto Slow Down facility ; single air shaft, Added Allen Bradley drive system and componants - 4KW Geared Motor connected to Allan Bradley Variable Speed , brand new. Sold as is. Safety guarding to meet AS4024 and wiring done to AS3000 - Interlocked Safety Guard over Rewind Shaft, Metal covers ; power source - 3 Phase /380-415V; Dimensions - L2050 x W1160 x H1130; Net Wgt: 800kgs ; Manual - DVD provided for operation - spare parts - electrical wiring ; Accessories at extra costs - Air Actuated Core Chucks for 152mm I/D Cores - Cast Core Chucks for 152mm I/D Cores; Peel Off (Dancer Roller) on Unwind (Only required for heavy coated self wound pressure sensitive tapes); Airshafts to fit other core sizes on Rewind can be provided at extra cost ; New Unassembled machine does not come with warranty except for Allen Bradley Drive and digital length counter which has 12 months manufacturer's warranty. Includes DVD manual covering machine operation. Previously similar machines sold for \$32,000 AUD. Code 1	P.O.A
22460	Kraus Board Slitter J.108AN, 1982; Slitter can do up to 1 meter wide and has 7 cutting knives; 3 Phase power required. Does single cut up to 8 cuts across; has heavy duty direct cutting wheels; can cut thick magnetic material; manual and material has to be hand-fed; In good working order. On our floor. Code 1.	P.O.A
25768	PSP Milmaster Type ACMR 280; 2.5 meters wide and about 1.5 meter diameter rolls and comes with 8 cutting wheels, all safety guards, various size shafts, core cutter, in ground pallet scales. in-house instruction manuals,working condition. Code 1	P.O.A

## Spare Parts/Consumables

24598	Allied Gear Flexomaster III FM 3 10; Print Cylinder gears (98) to suit Flexomaster III 10" 1/8" pitch Allied Gear, Mark Andy and Aqua Flex machines; To sell as one Lot, not singly; in good condition; List of Print Cylinders available : 2 x 52 gear ; 2 x 60 gear ; 5 x 61 gear ; 5 x 64 gear ; 6 x 66 gear ; 4 x 68 gear ; 6 x 72 gear ; 6 x 76 gear ; 2 x 78 gear ; 10 x 80 gear ; 5 x 84 gear ; 6 x 88 gear ; 6 x 90 gear ; 6 x 96 gear ; 5 x 104 gear ; 3 x 105 gear ; 6 x 112 gear ; 6 x 116 gear ; 5 x 141 gear ; 2 x 144 gear code 1	P.O.A
23164	AM International Multi; Various parts for AM International Multi 1650. Blanket Clamps (1), Offers Considered, \$AUD 150. 23 x Rollers for AM Multi 1250 @ \$60 each or \$1,000 for the lot. (3) Bars, Offers Considered, \$AUD 150. (1) Handle. (4) Belt Guides, \$AUD 120 each. (2) Blanket Clamps, \$100 Set. 1 x 5481 - 52 (Block) (7) Blankets, \$6 each. Code 1.	P.O.A
9459	Australian Paper; approximately 45,000 sheets ; Printers Stock ; COMO ULTRA BRITE 79gsm 520mm x 710 mm ; ON OUR FLOOR . ON OFFER. Code 1	P.O.A
3381	Australian Made xx; Perf Strips For Any Guillotine, Offers Considered.	P.O.A
23076	Gietz Gietz Parts; Gietz parts. See attached list for detailed description. Photos can be sent on request.ON OUR FLOOR. CODE 1A.	P.O.A
23161	Hamada 600; 35-25 Roller Covers x 3, Offers Considered. Code 1.	P.O.A
23163	Hamada 800; 50-40 Roller Covers x 4, Offers Considered. Code 1.	P.O.A
23586	Heidelberg Chases; 8 Chasis to suit a Heidelberg Cylinder 38 x 52 at \$250 each plus gst exsite. Postage or freight additional cost.	P.O.A
3368	Heidelberg GTO; Gripper Tension Spring (5).	P.O.A
24543	Heidelberg GTO; To suit GTO: Heidelberg NUMBERING CAMS: 2 x double sided \$300 each, 4 x left hand \$300 each, 3 x right hand \$300 each, 3 x Herben magna cams \$275 each ; 9 x Heidelberg NUMBERING RINGS \$350 each, 1 x Herben Perforating Arms \$350 each, 5 x Heidelberg perf arms with K head \$700 each, 9 x Heidelberg perf arms \$500 each; 10 x Herben perf arms \$350 each ; NUMBERING BLOCKS 8 x 45mm \$175 each, 10 x 35mm \$150 each. On our floor	P.O.A
24555	Heidelberg GTO; Feed Board 1 x GTO46 \$200 each. On our floor.	P.O.A

## CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Machine Id	Details	Selling Price
24556	Heidelberg GTO; Trolleys 2 x GTO52 \$500 each. On our floor.	P.O.A
23718	Heidelberg GTO 46; Rear plate clamp kit for GTO 46. ON OUR FLOOR Code 1	P.O.A
23101	Heidelberg GTO 52; Brand New. 2 sets of rollers (24) including 3 dampener rollers + 2 sets of ink rollers except dampener rollers (18). \$90 each roller exsite plus gst and delivery.	P.O.A
24557	Heidelberg GTO Rotary Shell; Rotary Shell 1 x GTO52 \$3500.PART NUMBER- OLD : 69.410.001 & NEW : MV.021.957. On our floor	P.O.A
24545	Heidelberg K Series; Perforating Heads/blocks to suit Heidelberg K line machine x 9 \$500 each. Perforating arms 3 x Heidelberg with Kline head \$250 each.ON OUR FLOOR	P.O.A
23157	Heidelberg KORD 64; Nyto Shell, for Plastic Plates. Code 1.	P.O.A
23159	Heidelberg KORD 64; (3) Dampener Rollers - \$225, (4) Rubber Rollers - \$200. Code 1.	P.O.A
24548	Heidelberg MO; 11 x Heidelberg Perforating arms \$1200 each, 4 x Herben perf arms \$ 850 each, 9 x Numbering (mounting) Rings \$300 each. 3 x numbering cams double P.O.A; 4 x numbering cams R/H P.O.A; 3 x numbering cams L/H P.O.A; ON OUR FLOOR.	P.O.A
24544	Heidelberg MO; 1 x Complete numbering and perforating Units to suit Heidelberg MOPZ with Numbering Shaft, perforating arm and Rings WITH STANDARD ACCESSORIES ON OUR FLOOR CODE 1 \$3000 EACH.	P.O.A
25701	Heidelberg Perf Arm; To Suit K line. Available Now. Code 1.	P.O.A
22632	Heidelberg QM46 NUM UNIT, 2000; With 2 numbering boxes, 2000 model one convex and one straight numbering box.1 x left numbering cam, 1 x right cam,1 double sided cam, 2 rings ON OUR FLOOR Code 1	P.O.A
24546	Heidelberg S Series; 5 x Perforating Heads to suit Heidelberg S Series Machine. \$500 each	P.O.A
23103	Heidelberg SBG; 1 x feeder board 30" for SBG Cylinder	P.O.A
23107	Heidelberg SBG; 1x paper trolley for Heidelberg SBG cylinder.	P.O.A
23104	Heidelberg SORD; 26 brand new Rollers for a Heidelberg SORD [AUD \$150 per roller].	P.O.A
23155	Heidelberg SORDZ; Delivery Trolleys (4). \$400 each. Code 1.	P.O.A
23156	Heidelberg SORSZ; (4) Roller Covers (Steel). Code 1.	P.O.A
22860	Heidelberg Speedmaster 102; See attached list for detailed description. Photos can be sent on request ; On our floor. Code 1.	P.O.A
22931	Hock Rollers; From a Hock Laminator. Steel rollers from Hock Laminator conveyor, 1500 mm width 60 mm diameter. ON OUR FLOOR. CODE 1A.	P.O.A
10071	Komori Parts List; Sample of the parts included in the package; 3XAreo pump rebuild kits,1XMain drive shaft, 3XDelivery weights.1XHolder, 20XSolenoid filters, 40XButton Cap. Plus motors and much more Most of the Komori parts 98% new and the only parts that are second hand are 1: Komori button assemblies 2: the Komori floats 3: the plate scanner board 4: the delivery weights 5: solenoid valve part no 370-8100-170 (1 only the rest are new) 6: dampener air cylinder 444-4284-014 (4 only the rest are new) 7: the side motor PNB-10152 this is reconditioned .See attached list for detailed description. Photos can be sent on request.On our Floor Code 1	P.O.A
25739	Numbering Boxes Various; Total of 25 Numbering Boxes.LEIBINGER: 5 x Straight FWD,8 x Straight BWD,5 x Convex BWD; ATLANTIC: X 5 STRAIGHT BWD, X 1 CONVEX BWD. As Inspected. Code 1.	P.O.A
22856	Polar Polar Guillotine parts; Spare parts see attached for detailed description.Includes polar board for Polar 155 EMC,APPROX. 1985+ ZA3.015.357 .ON OUR FLOOR. Code 1	P.O.A
4270	Polar xx; Part for Polar 115CE - Part No. : 208164 (Brand New).	P.O.A
24578	Ryobi 3200; 4 x 3200 MCD Blankets Size: 330 x 496 mm \$450 each, 4 x 3200 PFA Blankets Size 310 x 486 mm, Part No. 533024268.\$450 each.	P.O.A
3385	Ryobi 480; Parts - 2 x 5481 -94 (Holden),	P.O.A
24547	Ryobi 500KNP; Nylon plate holder to suit Ryobi 500 KNP \$650 each. 1 x imprint block 95mm \$100 each	P.O.A
22858	Stahl Stahl Folder Parts; See attached list for detailed description. Photos can be sent on request; ON OUR FLOOR. CODE 1	P.O.A
22859	sunraiser parts; Sunraiser verko see attached photos for detailed descriptions. ON OUR FLOOR. CODE 1	P.O.A

## Web Presses/Business Form

9579	Automation Color Jet 131, 1989; 2 colour, fixed cylinder size: 16 2/3" cut off, max width 360mm web, tint, chill dampening system for alcohol dampening system, turn bars between units for 2/0 or 1/1 colours, numbering unit with up to 4 numbering boxes across the web and both flat on convex numbering boxes around the cylinder, machine can have running perforations along the web, machine has its own jogger for delivery.No sprocket punch Code 1	P.O.A
22808	AUTOMATION Multi J CJ1000 CJ5RB17, 1983; Units - 6 + Numbering Unit, Cut of 17"/8.5", 3 Tinters, Unwinds - 4 max reel size 40", 1 carbon unwind, Atomik direct dampening system (rubber rollers), Perforations: 1X17" with slots at 17", 8.5", 5 2/3", Perforatings Long, multiple holders, Max width: 370mm, min width 130mm, speed of machine: 250mtrs, can only number using a 17" straight or convex numbering box. Max of 5 can fit around the shaft (straight boxes.) or 5 convex boxes. Across the shaft is approx 3 boxes across.Code 1	P.O.A

## CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

<b>Machine Id</b>	<b>Details</b>	<b>Selling Price</b>
<b>25619</b>	Bunch 206, 1999; Sheeter is capable of being driven from either side and will cut many sizes as gears are used to change cut off size. Can be used with the web press. On our floor. Code 1	P.O.A
<b>9805</b>	Didde Glasser 860, 1986; 2 colour, 24" conveyor belt, sheeter, turnbar, cross/vertical uses shera knife perf, reel to sheet, used to print bond paper. The sheet cut off is at 24" or 12" in good condition still in operation Code 1	P.O.A
<b>25738</b>	Giebeler E380 E, 1986; Pack to pack Continuous machine; Single colour; Variable cylinders - 8 1/2 inch, 11 inch/ A4/ 14 2/3; and Eltromat register system. Good condition; accessories - all rollers & plates; Printer bought brand new - one owner; Printer's excess machines; downsizing; can be seen working, Available Now. Code 1.	P.O.A
<b>23053</b>	Harris M120, 1970; Operational. 2 colour reel Web width:790mm /780 mm print width, 492 cut off, impression count: 99843470, max reel width: 790mm, Max print width: 780mm, Max speed: 30,000 CPH double parallel, or 32,000 copies per hour. cut off length: 492mm, Fold types: 181mm x 111mm up to 115mm trim size in 32pp joined pair double parallel (64pp) cross grain section on a 760mm reel, 232mm x 185mm trim size in 32pp Quarter fold Long grain section off a 785mm reel, 385mm x 230mm trim size in 16pp Tabloid Cross grain section on a 785mm reel, The cut off is 492mm as is the cylinder circumference which impacts on depth for long grain products and width for cross grain products. Additional equipment: Reelstand - Martin, Webguides - Baldwin X 2, Cocking device on print units for two color work, Dryer - TEC, Chill Stand - Baldwin, Cutoff controll - Crosfield Webatron, Stacker - Stobb Horizontal. Currently operational. Code 1	P.O.A

***Looking to sell your equipment fast? Visit us on-line to see how  
AsNew's e-based marketing services can ensure your machines are  
sold at the right price.***

### **CAN'T FIND WHAT YOU ARE LOOKING FOR ?**

**We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.**

This document was created with Win2PDF available at <http://www.daneprairie.com>.  
The unregistered version of Win2PDF is for evaluation or non-commercial use only.